

Product Specifications

CLASSIC ONE DRAWER BEDSIDE CABINET - LFC TC1

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 1 drawer: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer front is made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handle.
- 1 open section with 1 adjustable shelf.
- The beside cabinet is constructed with 1 vent to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

20"d x 18"w x 32"h

24"d x 18"w x 32"h

OPTIONS

- 4 locking, swivel polyurethane casters. Logiflex will then remove the kick plate and adjust the unit to the desired height.
- White plastic drawer liner for top drawer.
- Locks.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty.
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC ONE DRAWER BEDSIDE CABINET - LFC TC2

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 1 drawer: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- 1-door cabinet with 1 adjustable shelf.
- Drawer front and door are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The beside cabinet is constructed with 1 vent to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

20"d x 18"w x 32"h

24"d x 18"w x 32"h

OPTIONS

- Hinges on left or right side of the cabinet.
- 4 locking, swivel polyurethane casters. Logiflex will then remove the kick plate and adjust the unit to the desired height.
- White plastic drawer liner for top drawer.
- Locks.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty.
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC THREE DRAWER BEDSIDE CABINET - LFC TC3

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 3 drawers: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer fronts are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The bedside cabinet is constructed with 1 vent to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.
- *The height of the first drawer is different from the bottom drawers.*

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

20"d x 18"w x 32"h

24"d x 18"w x 32"h

OPTIONS

- 4 locking, swivel polyurethane casters. Logiflex will then remove the kick plate and adjust the unit to the desired height.
- White plastic drawer liner for top drawer.
- Locks.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty.
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC FOUR DRAWER BEDSIDE CABINET - LFC TC4

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 4 drawers: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer fronts are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The bedside cabinet is constructed with 1 vent to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

20"d x 18"w x 32"h

24"d x 18"w x 32"h

OPTIONS

- 4 locking, swivel polyurethane casters. Logiflex will then remove the kick plate and adjust the unit to the desired height.
- White plastic drawer liner for top drawer.
- Locks.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty.
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC TWO DRAWER DRESSER - LFC COM2

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2 drawers: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer fronts are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The dresser is constructed with 1 vent to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2 1/4" recessed back so the unit can be placed against a wall with electrical outlets.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

20"d x 30"w x 32"h	24"d x 30"w x 32"h
20"d x 36"w x 32"h	24"d x 36"w x 32"h

OPTIONS

- Anti-tipping kit.
- Locks.
- Cut-out top for easy access to wiring
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty.
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC THREE DRAWER DRESSER - LFC COM3

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 3 drawers: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer fronts are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The dresser is constructed with 1 vent to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2 1/4" recessed back so the unit can be placed against a wall with electrical outlets.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

20"d x 30"w x 32"h

24"d x 30"w x 32"h

20"d x 36"w x 32"h

24"d x 36"w x 32"h

OPTIONS

- Anti-tipping kit.
- Locks.
- Cut-out top for easy access to wiring
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty.
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC FOUR DRAWER DRESSER - LFC.COM4

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 4 drawers: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer fronts are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The dresser is constructed with 1 vent to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2 1/4" recessed back so the unit can be placed against a wall with electrical outlets.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

20"d x 30"w x 44"h

24"d x 30"w x 44"h

20"d x 36"w x 44"h

24"d x 36"w x 44"h

OPTIONS

- Anti-tipping kit.
- Locks.
- Cut-out top for easy access to wiring
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty.
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC SIX DRAWER DRESSER - LFC COM6

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 6 drawers: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer fronts are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The dresser is constructed with 2 vents to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2 1/4" recessed back so the unit can be placed against a wall with electrical outlets.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

20"d x 48"w x 32"h

24"d x 48"w x 32"h

OPTIONS

- Anti-tipping kit.
- Locks.
- Cut-out top for easy access to wiring
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty.
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC HUTCH - LFC HL28

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2-door cabinet: 13"h interior space.
- Doors are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

16"d x 30"w x 28"h
16"d x 36"w x 28"h

OPTIONS

- Anti-tipping kit. Two kits are required for hutches.
- Locks.
- Hinged back on hutches to provide easy access to wiring.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC HUTCH WITH ONE ADJUSTABLE SHELF - LFC HLA40

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2-door cabinet: 13"h interior space.
- Doors are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- 1 adjustable shelf.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

16"d x 30"w x 40"h
16"d x 36"w x 40"h

OPTIONS

- Additional shelf.
- Anti-tipping kit. Two kits are required for hutches.
- Locks.
- Hinged back on hutches to provide easy access to wiring.
- Models presented are suggestions; they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC HUTCH WITH TWO ADJUSTABLE SHELVES - LFC HLA52

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2-door cabinet: 13"h interior space.
- Doors are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- 2 adjustable shelves.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

16"d x 30"w x 52"h
16"d x 36"w x 52"h

OPTIONS

- Additional shelf.
- Anti-tipping kit. Two kits are required for hutches.
- Locks.
- Hinged back on hutches to provide easy access to wiring.
- Models presented are suggestions; they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC ONE DOOR WARDROBE - LFC PEN1

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 1-door wardrobe: 1 safety garment rail under adjustable shelf.
- Door is made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handle.
- The wardrobe is constructed with 1 vents to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

24"d x 20"w x 72"h

OPTIONS

- Hinges on left or right side of the cabinet.
- Additional shelf.
- Anti-tipping kit.
- Locks.
- 180° or 270° hinges.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC ONE DOOR WARDORBE WITH DRAWER - LFC PEN2

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 1-door wardrobe: 1 safety garment rail under adjustable shelf.
- 1 drawer: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer fronts and doors are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The wardrobe is constructed with 1 vents to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

24"d x 20"w x 84"h

OPTIONS

- Hinges on left or right side of the cabinet.
- Additional shelf.
- Anti-tipping kit.
- Locks.
- 180° or 270° hinges.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC TWO DOOR WARDROBE - LFC PEN3

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2-door wardrobe: 1 safety garment rail under adjustable shelf.
- Doors are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The wardrobe is constructed with 2 vents to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

24"d x 30"w x 72"h
24"d x 36"w x 72"h

24"d x 42"w x 72"h

OPTIONS

- Additional shelf.
- Anti-tipping kit.
- Locks.
- 180° or 270° hinges.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC WARDROBE CABINET - LFC PEN4

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2-door wardrobe cabinet: 1 central division with 1 safety garment rail under adjustable shelf on left and 4 adjustable shelves on right.
- Doors are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The wardrobe is constructed with 2 vents to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

24"d x 30"w x 72"h

24"d x 42"w x 72"h

24"d x 36"w x 72"h

OPTIONS

- Additional shelf.
- Anti-tipping kit.
- Locks.
- 180° or 270° hinges.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC WARDROBE WITH DRAWER - LFC PEN5

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2-door wardrobe: 1 safety garment rail under adjustable shelf.
- 1 drawer: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer fronts and doors are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The wardrobe is constructed with 2 vents to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

24"d x 30"w x 84"h
24"d x 36"w x 84"h

24"d x 42"w x 84"h

OPTIONS

- Additional shelf.
- Anti-tipping kit.
- Locks.
- 180° or 270° hinges.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC WARDROBE CABINET WITH DRAWER - LFC PEN6

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2-door wardrobe cabinet: 1 central division with 1 safety garment rail under adjustable shelf on left and 5 adjustable shelves on right.
- One drawer: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer fronts and doors are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The wardrobe is constructed with 2 vents to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

24"d x 30"w x 84"h
24"d x 36"w x 84"h

24"d x 42"w x 84"h

OPTIONS

- Additional shelf.
- Anti-tipping kit.
- Locks.
- 180° or 270° hinges.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC WARDROBE WITH DRAWERS - LFC PEN7

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2-door wardrobe: 1 safety garment rail under adjustable shelf.
- 2 drawers: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer fronts and doors are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The wardrobe is constructed with 2 vents to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

24"d x 30"w x 84"h
24"d x 36"w x 84"h

24"d x 42"w x 84"h

OPTIONS

- Additional shelf.
- Anti-tipping kit.
- Locks.
- 180° or 270° hinges.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC WARDROBE CABINET WITH DRAWERS - LFC PEN8

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 2-door wardrobe cabinet: 1 central division with 1 safety garment rail under adjustable shelf on left and 4 adjustable shelves on right.
- 2 drawers: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer fronts and doors are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The wardrobe is constructed with 2 vents to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

24"d x 30"w x 84"h
24"d x 36"w x 84"h

24"d x 42"w x 84"h

OPTIONS

- Additional shelf.
- Anti-tipping kit.
- Locks.
- 180° or 270° hinges.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC WARDROBE CABINET WITH DRAWERS - LFC PEN9

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 1-door wardrobe: 1 safety garment rail under adjustable shelf.
- Open section with 2 adjustable shelves.
- 3 drawers: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer fronts and doors are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The wardrobe is constructed with 2 vents to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

24"d x 42"w x 72"h

24"d x 48"w x 72"h

OPTIONS

- Wardrobe on left or right side of the cabinet.
- Anti-tipping kit.
- Locks.
- 180° or 270° hinges.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC WARDROBE CABINET WITH DRAWERS - LFC PEN10

CONSTRUCTION

- Metal to metal cam-lock and wood dowel construction for easy replacement.
- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.
- Top is featureless, in 3/4" thermally fused laminate with heat-sealed PVC edges.
- 1-door wardrobe: 1 safety garment rail under adjustable shelf.
- 2-door cabinet: 2 adjustable shelves.
- 3 drawers: Interior has 5/8" white thermally-fused laminate bottom and back, with white metal sides and unobstructed tracks for partial extension.
- Drawer fronts and doors are made of 3/4" thermally fused laminate with heat-sealed PVC edges. H161 full grip handles.
- The wardrobe is constructed with 2 vents to ensure good and adequate airflow.
- Sides go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with heat-sealed PVC edges.

FINISHES

- Materials available : thermally-fused laminate and high-pressure laminate.
- Selection of 6 colors and 3 full grip pulls available.

DIMENSIONS

24"d x 42"w x 72"h

24"d x 48"w x 72"h

OPTIONS

- Wardrobe on left or right side of the cabinet.
- Anti-tipping kit.
- Locks.
- 180° or 270° hinges.
- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC RECTANGULAR HEADBOARD & FOOTBOARD - LFC TLRT & LFC PLRT

CONSTRUCTION

- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.

FINISHES

- Materials available: thermally-fused laminate.
- Selection of 6 colors.

DIMENSIONS

Headboard: 42"w x 34"h
Footboard: 42"w x 27"h

OPTIONS

- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.



Product Specifications

CLASSIC CURVED HEADBOARD & FOOTBOARD - LFC TLCX & LFC PLCX

CONSTRUCTION

- 3/4" thick material construction.
- All product edges are heat sealed to ensure no raw materials are exposed and assist in preventing the infiltration of bacteria.

FINISHES

- Materials available: thermally-fused laminate.
- Selection of 6 colors.

DIMENSIONS

Headboard: 42"w x 37"h
Footboard: 42"w x 30"h

OPTIONS

- Models presented are suggestions: they can be customized to meet individual needs.

MANUFACTURING RESPONSABILITY

- Limited Lifetime Warranty
- Products are manufactured in North America and comply with ISO9001 and Indoor Advantage Gold.

