

SWEET

Price List
USA 2024



logiflex

Our social responsibility / Conditions of Sale and Warranty

Our social responsibility

At Logiflex, we have chosen to be a responsible North American manufacturer by implementing initiatives for sustainable development. As much as possible, we source local materials and partner with suppliers who prioritize clean manufacturing processes. We also consolidate goods during transport to reduce our fuel consumption and we continually make changes that help reduce our waste production.

The company is ISO 9001 certified.

You can consult our eco-responsible approach as well as all our certifications in the [Certifications](#) section of our website. Find out how our products can help you obtain LEED credits and the Logiflex products that are Indoor Advantage Gold certified.

Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive.

Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information:

- Your company letterhead;
- Your reference number;
- The delivery address (with contact name, email and phone number);
- The complete product codes;
- Furniture colour(s);
- Quantities;
- Descriptions;
- Retail prices and net prices;
- Project registration number (if applicable), and your approved quotation and technical drawing (for special items).

Please note that a quotation cannot serve as a purchase order.

Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

Modifications and/or Cancellations

You have 48 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 48-hour period. If you would like to modify or cancel your order after this 48-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

Liability

Logiflex's liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

Claims

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture within 30 days after delivery. Requests to replace damaged products can be made via the "Online Services" section of our website, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation.

Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

Storage and/or Shipping Fees

According to the terms Logiflex set forth in the transport policy. The transport policy can be consulted online in the Private.

Warranty

Logiflex guarantees to the original purchaser that Logiflex products are free from defects in design, materials and workmanship for the product's lifetime, with certain exceptions. The warranty for the Cake collection is 1 year.

You may consult the full warranty on the website: [Logiflex Warranty](#)

Affordable prices, modern and sleek look, appropriate dimensions, fast delivery times: the Sweet collection is designed to be a simple solution so that self-employed workers or telework workers can benefit from layouts adapted to the home, while benefiting from the promise made by Logiflex: to offer you quality furniture designed with multiple personalization options.

! This collection can be specified by predetermined configurations only, no custom available.

Manufacturing Standards

Product Dimensions

For display purposes, the furniture dimensions represented in the price tables on each product page are rounded to the nearest whole number.

Furniture Construction

- All surfaces and laminate legs are 1" thick.
- Fronts and backs are made of 5/8" thick melamine.
- The finished height of the work surfaces is 29".

Handles

H052SN handles are included with pedestals.

Metal Legs

Here are the finishes available:

- Angled legs: black and satin nickel
- Square legs: satin nickel

Drawers

All drawer interiors are constructed of 7/16" black panels and all drawer bottoms are made of 1/8" masonite panels.

Levelers

All furniture placed on the floor rests on white nylon levelers 1" diameter which allow height adjustment up to 1-1 / 4".

Available colors

All furniture can be finished with all of Logiflex's colors.

[See our color guide and finishes.](#)

Discount

Please consult your representative for discount applicable on prices.

Manufacturing Time

Manufactured within 3 weeks or less.

Typical Layouts

Use these three preconfigured layouts for your transactional site, and add the options and accessories that interest you! Do not hesitate to contact our team if you need more marketing material.

Configuration sweet-bb-c01



PRODUCT	LIST PRICE
QSML 2454SWT2R RABL	
Sweet table 24"D x 54"W with rectangular surface, 2 angled metal legs with levelers.	
QSML 122444 SWTBB	
Bookcase 12" D x 24" W x 44" H with 1 fixed shelf at 29" H, 1 adjustable shelf below the surface and levelers.	
TOTAL	\$904

Configuration sweet-t-c01



PRODUCT	LIST PRICE
QSML 2460SWT RABL	
Sweet table 24" D x 60" W with rectangular surface and 4 angled metal legs with levelers.	
TOTAL	\$513
SWV	
Swivel drawer	
TOTAL (OPTION)	\$66

Configuration sweet-uf-c01



PRODUCT	LIST PRICE
QSML 2454SWT3R	
Sweet table 24" D x 54" W table with rectangular surface and 1 square satin nickel base with levelers.	
QSML 24SWTUF	
Independant pedestal 24" D x 15¼" W x 28" H with 1 pigeonhole, 1 utility drawer and 1 file drawer with H052SN handle, on levelers.	
TOTAL	\$904
QSML 101515HOW	
Open wall unit 10" D x 15" W x 15" H with Z-bar wall mount.	
TOTAL (OPTION)	\$781

Product pages

*The next pages present the Sweet line of furniture
with all the options and dimensions available.*



- Sweet table with rectangular surface and 4 angled metal legs with levelers.

Personalization options

- 5 surface widths available / **(No charge)**
- Legs in satin nickel (RASN) or black (RABL) / **(No charge)**
- Logiflex square grommet in satin nickel (CAPF) or black (CBPF) / **(\$27 ea.)**
- 3 connectivity modules / **(\$417 ea.)**

	24 36				GRL		C
	24 42				GRR		L
	24 48				GLR	MH3B (\$)	R
	24 54		RABL		GRC	MH3C (\$)	LR
	24 60		RASN			MH3D (\$)	
				CAPF (\$)	NGR (std)	NONE (std)	NGR (std)
				CBPF (\$)			
				NONE (std)			
QSM	dimensions (Depth Width)	product	leg	grommet	grommet position	connectivity	connectivity position
series							

Configuration Sweet BB

\$904

Illustrated product: SWT2 R



- Sweet table with rectangular surface and 2 angled metal legs.
- Bookcase 12"D x 24"W x 44"H with 1 fixed shelf at 29"H, 1 adjustable shelf below the surface and levelers.

Personalization options

- 5 surface widths available / **(No charge)**
- Table with legs on the left (SWT2 L) or on the right (SWT2 R) / **(No charge)**
- Legs in satin nickel (RASN) or black (RABL) / **(No charge)**
- Logiflex square grommet in satin nickel (CAPF) or black (CBPF) / **(\$27 ea.)**
- 3 connectivity modules / **(\$417 ea.)**


	24 36				GRL		C
	24 42				GRR		L
	24 48				GLR	MH3B (\$)	R
	24 54		RABL		GRC	MH3C (\$)	LR
	24 60		RASN			MH3D (\$)	
		SWT2 L		CAPF (\$)	NGR (std)	NONE (std)	NGR (std)
		SWT2 R		CBPF (\$)			
				NONE (std)			
QSM	dimensions (Depth Width)	product	leg	grommet	grommet position	connectivity	connectivity position
series							

2	QSM	12 24 44	SWTBB
series	dimensions (Depth Width Height)	product	

Configuration Sweet UF

\$904

Illustrated product: SWT3 R



- Sweet table with rectangular surface and 1 square satin nickel base with levelers.
- Independant pedestal 24"D x 15¼"W x 28"H with 1 pigeon hole, 1 utility drawer and 1 file drawer with handle H052SN, on levelers.

Personalization options

- 3 surface widths available / **(No charge)**
- Table with legs on the left (SWT3 L) or on the right (SWT3 R) / **(No charge)**
- Logiflex square grommet in satin nickel (CAPF) / (**\$27 ea.**)
- 3 connectivity modules / (**\$417 ea.**)

		24 48 24 54 24 60	SWT3 R SWT3 L	CAPF (\$) NONE (std)	GRL GRR GLR GRC NGR (std)	MH3B (\$) MH3C (\$) MH3D (\$) NONE (std)	C L R LR NGR (std)
1	QSML						
	series	dimensions (Depth Width)	product	grommet	grommet position	connectivity	connectivity position
2	QSML	24	SWTUF				
	series	dimensions (Depth)	product				

Open wall unit

\$260

- Open wall unit 10"D x 15"W x 15"H with Z-bar wall mount.



QSML	10 15 15	HOW
series	dimensions (Depth Width Height)	product

Height Adjustable Tables

Illustrated product: 3060 T



- Delivered disassembled;
- 1" thick laminate top;
- 2 section metal leg;
- Control panel with LED display;
- Height: 3 memory settings;
- Maximum load on frame: 320 lbs;
- 2-motor system with collision detector;

DIMENSIONS	PRICE
29 46	\$1 821
29 52	\$1 842
29 58	\$1 861
29 64	\$1 882
29 70	\$1 903

Personalization options


- Cutout for wires (WAVC) / (\$27 ea.)
- Logiflex square grommet in satin nickel (CAPF) or black (CBPF) / (\$27 ea.)
- 3 connectivity modules / (\$417 ea.)

	29 46				GRL		C	
	29 52				GRC	MH3A	L	
	29 58				GRR	MH3B	R	
	29 64				GLR	MH3C	LR	
	29 70		BL	WAVC		MH3D		QIBLA
			SN (std)	NWAV (std)	NGR (std)		NGR (std)	QIBLB
EP		T						
series	dimensions (Depth Width)	product	leg finish	cutout for wires	grommet style	connectivity	connectivity position	Qi

Electrical options


Here are the positioning options for grommets and connectivity modules that can be applied to Sweet tables:

- L: left
- C: center
- R: right
- LR: left and right



C_PF

Grommet




- Square metal grommet with the Logiflex logo engraved;
- Finish: Satin Nickel and Black;
- 2-1/2" diameter cutout.

Code	\$	Description
CAPF	27	Unit price - Satin Nickel
CBPF	27	Unit price - Black

MH3B

Retractable Connectivity unit




- Retractable connectivity unit with 1 audio jack and 1 electrical outlet;
- 72" power cable with electric plug;
- Finish: Satin Nickel.



Code	\$	Description
MH3B	417	Satin Nickel, 72" power cable

MH3C

Retractable Connectivity unit




- Retractable connectivity unit with 2 electrical outlets;
- 72" power cable with electric plug;
- Finish: Satin Nickel.



Code	\$	Description
MH3C	417	Satin Nickel, 72" power cable

MH3D

Retractable Connectivity unit



- Retractable connectivity unit with 1 electrical outlet and 2 USB a+c chargers;
- 72" power cable with electric plug;
- Finish: Satin Nickel.



Code	\$	Description
MH3D	417	Satin Nickel, 72" power cable

WM

Velcro Tie




- Velcro tie for electrical cable;
- The non-metallic buckle is safe to use around electrical devices;
- Dimensions: 3/4" x 10";
- Color: black.

Code	\$	Description
WM	14	Unit price

Accessories

C-1A

Computer Monitor Bracket




- Computer monitor bracket with fixed arm support;
- Height-adjustable arm;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-1A	145	

C-2A

Double Computer Monitor Bracket




- Double computer monitor bracket with fixed arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2A	245	

KB

Keyboard Tray




- 24" wide keyboard tray only;
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4" to 2-3/4" / additional 2" for slides.

Code	\$	Description
KB	192	1" thick laminate
KBT	182	5/8" thick laminate

AP

Wrist Rest




- Black gel wrist rest.

Code	\$	Description
AP	74	

Additional storage and organization

SWV

Swivel Organizer Tray




- Storage drawer that rotate 360 degrees;
- Mounts flush to the edge;
- Dimensions: 7-1/2"D x 8-7/8"W x 1"H.

Code	\$	Description
SWV	66	

TCPM

Sliding Drawer




- Black plastic sliding drawer with steel ball bearing slides.
- Cannot be assembled with the height adjustable table.

Code	\$	Description
TCPM	192	

TIRA

Drawer




- Drawer and front 5/8" laminate;
- Frame 1" laminate;
- Lock included;
- Mounting brackets and screws included.

Code	\$	Description
TIRA	216	Drawer with lock
TIRAHG	245	Drawer with lock and HG front finish

MCPU50

Miniature CPU Holder




- Height adjustable: 8" - 14";
- Width adjustable: 2" - 4";
- Maximum capacity: 10 kg (22 lbs);
- Need a minimum 5" deep clearance.

Code	\$	Description
MCPU50	179	

MCPU90

CPU Holder



- Black metal CPU holder;
- Easy manipulation;
- Vertical adjustment:
 - Height: 15.5" x 20"
 - Width: 5.5" x 9.8"
- Horizontal adjustment:
 - Height: 17.5" x 22"
 - Width: 9.25" x 13.5"

Code	\$	Description
MCPU90	215	per unit

As our product line is constantly evolving and expanding, we recommend that you visit logiflex.ca for updates.

logiflex

1235 St-Roch N., Sherbrooke QC J1N 0H2 Canada
T : 1.877.864.9323 | F : 1.800.474.7830 | logiflex.ca

