XTENSION

Price List



logiflex

Table of Contents

Introduction

Product Map	5
Our social responsability	8
Conditions of Sale	8
Manufacturing Standards	9
How to Use the Price List	10
Appendix A: Colors and Finishes	11
Appendix B: Surfaces and Molding Edges	14
Appendix C: Wood Grain	15
Appendix D: Pedestals and File Drawers	16
Appendix E: Calculation and Use of Electrical Components	17
Appendix F: Locks	20
Appendix G: Electrical Wire Management Solutions	21
Appendix H: Surface Support	24

High Pedestals

Walls and Panels

Power Walls	26
Division Panels	31
Panel Accessories	38

Surfaces

Rectangular Surfaces	49
D Surfaces	51
Collaboration Surfaces	52
Privacy Corner Screen	53

O	F 4
Supports	54
Legs	55
Layering Surface Support	61
Brackets and Stiffeners	63
Pedestals	68
Independant Pedestals	69
Mobile Pedestals	77

Benches81Storage Towers84Sliding Storages85Storage Towers86Islands Stations89Islands Stations90

ISIAITUS Stations	90
Islands Stations with Bookcase	91
Islands Stations with Lockers	92

Accessories	93
Keyboard Trays	95
CPU Holders	96
Computer Monitor Brackets	97
Miscellaneous Accessories	99
Electrical Accessories	101

The Xtension furniture collection

Update Summary

The Xtension price list presents these principal modifications:

DATE	SECTION	MODIFICATIONS
March 1, 2024	All the Price List	All prices have been increased by approximately 5%.

Previous updates:

DATE	SECTION	MODIFICATIONS	
November 22, 2023 Electrical accessories		Removal of high gloss finish.	
		 Addition of the wire management system BE-WMS-32 & BE-WMD-32. Addition of port USB A & C SQC. Removal of the power bar F-714. 	
July 4, 2023	Electrical accessories	• Chicago Code : Certain electrical components are now marked prohibited or restricted for orders in chicago. (USA pricelist only).	
May 22, 2023	Panels	Addition of new dimensions for panels PANLL, PANLR, PANT and PANX.	
February 1, 2023	All the Price List	 All prices have been increased by approximately 5%. Transition from 6 to 14 grades of fabric. New certification Indoor Advantage Gold (replace Greenguard). 	
December 1, 2022	Electrical accessories	Adjustment of the names and images of certain items.	
July 1, 2022	Appendix A	Color availability chart update for the HPL.	

Introduction	
Product Map	
Walls and Panels	See the Xtension specifications guide here
Power Walls	
Division Panels p.34	
Panel Accessories	p.38

Surfaces



Introduction	
Product Map	
Supports	See the Xtension specifications guide here
Leas	p 54

Layering Surface Support	p.60	Brackets and Stiffeners	p.62

Pedestals

Independant Pedestals	p.68

Mobile Pedestals	p.76 High	Pedestal	p.78

Introduction	

Product Map

Pedestals (following)

See the Xtension specifications guide here



Storage Towers

Sliding Storages	p.84	Storage Towers	p.85

Islands Stations



Our social responsability

At Logiflex, we have chosen to be a responsible North American manufacturer by implementing initiatives for sustainable development. As much as possible, we source local materials and partner with suppliers who prioritize clean manufacturing processes. We also consolidate goods during transport to reduce ou fuel consumption and we continually make changes that help reduce our waste production.

The company is ISO 9001 certified.

You can consult our eco-responsible approach as well as all our certifications in the Certifications section of our website. Find out how our products can help you obtain LEED credits and the Logiflex products that are Indoor Advantage Gold certified.

Conditions of Sale

Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive.

Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

Customized Products (Special Items)

Price requests for customized products or special items can be submitted via the "Member Zone" section of our website, at www. logiflex.ca. Our quotations department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information:

- Your company letterhead
- Your reference number
- The delivery address (with contact name and phone number)
- The complete product codes
- Furniture colour(s)
- Quantities
- Descriptions
- Retail prices and net prices
- Project registration number (if applicable), and your approved quotation and technical drawing (for special items).

Please note that a quotation cannot serve as a purchase order.

Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

Modifications and/or Cancellations

You have 24 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 24-hour period. If you would like to modify or cancel your order after this 24-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

Liability

Logiflex's liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

Claims

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture within 30 days after delivery. Requests to replace damaged products can be made via the "Member Zone" section of our website, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation.

Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

Storage and/or Shipping Fees

According to the terms Logiflex set forth in the transport policy. The transport policy can be consulted online in the Private Space.

Items Delivered Disassembled

Some items are delivered disassembled, such as empty desks, empty returns, bridges, arched tables, D, P or Q tables, lateral tables, end tables, hook tables, corner tables and extended-corner tables. To order these items assembled, add a \$100 list price. Contact Customer Service for details.

Warranty

Logiflex guarantees to the original purchaser that Logiflex products are free from defects in design, materials and workmanship for the product's lifetime, with certain exceptions.

You may consult the full warranty on the website: Logiflex Warranty

Manufacturing Standards

Product Dimensions

For display purposes, the furniture dimensions represented in the price tables on each product page are rounded to the nearest whole number.

Furniture Construction

- · All desktops and legs are 1" thick laminate;
- Fronts and backs are 5/8" thick laminate.

Handles

Handles are included for all Xtension furniture with doors. The standard handle, when included, is the H071BL handle (black). Please refer to the Accessories section for the list of handles available from Logiflex.

Space for surfaces

All surfaces offer the option of having a 1.5" space to allow wiring to pass through. Please refer to the different product pages to see and understand its operation.

Locks

Locks are included for all pedestals, lateral file drawers, cabinets and wardrobes. It is possible to specify a finish other than the black standard. Please refer to the Accessories section at the end of this price list to find out about the different finishes available from Logiflex.

Pedestals

All drawers are made of black Medium density fiberboard (MDF) with an average thickness of 7/16". Utility, file and lateral file drawers have full extension slides. The lateral file drawer has a load capacity of 150lbs while the utility and file drawer have a load capacity of 100lbs.

Drawer Fronts

A PVC strip 1.5 mm thick is systematically applied along all drawer front edges.

Wood Grain

The wood grain is always vertical on fronts, furniture doors, walls and panels. Logiflex cannot guarantee that the wood grain will match up on the different parts of a same surface.


Finishes

You must specify the desired finish(es) for each item of furniture ordered. Please make your selection(s) from the Logiflex chart.

Levelers

All furniture items sit on 1" in diameter, white nylon levelers, allowing for up to 1-1/4" height adjustment. The standard finished height for work surfaces is 29".

How to Use the Price List



Appendix A: Colors and Finishes

How to specify your laminate colors

now to specify your laminate colors		Availability Chart							
	— Тор				TH ÉP.	ICKNE	SS UR	HPL	PANVAL
	— Top Surface / Edge W / W	FINI FINISH	CODE	COLOR COULEUR	5⁄8"	1"	1-5⁄8"	STRATIFIÉ	CODE
	,		DOO	Dosha	•	•		•	K77
A A A A A A A A A A A A A A A A A A A		OMNIA	C00	Cosmos	•	•		•	K78
	— Base		GIA	Ginger Root Gingembre	•	•		•	H72
	Surface / Edge		HAA	Haze Brume	•	•	•	•	H57
	W / W	AURA	OHA	Ohm	•	•	•	•	K69
			STA	Storm Tempête	•	•	•	•	H58
	— Shelf		TUA	Tundra	•	•		•	H75
	Surface / Edge		ASY	Asha	•	•		•	K47
	W / W	LYRA	CIY	Chiffon Mousseline **	•	•	•	•	K60
	,		KAY	Kali	•	•		•	K46
		SUPERMAT	IGS	Ingot grey Gris lingot	•	•			828
	F	SUPERMAT	WGS	Willow grey Gris saule	•	•			802
	 Front Surface / Edge 		AU	Audacity Audace **	•	•	•	•	241
	-		В	Jet Black Noir intense [*]	•	•		•	888 S405-CA
~	GGH / GGH		BC	Brown cherry Cerisier brun	•	•	•	•	207
			С	Slate Ardoise [*]	•	•		•	801
			DR	Driftwood Bois de rive	•	•		•	744
		DOLOMITE	G	Mink Grey Gris vison	•	•		•	805 OU-927
		DOLOMITE	NM	Natural Maple Érable naturel	•	•	•	•	206
			PO	Porto	•	•		•	913 OU-648
	-311000		SW	Smoked Walnut Noyer fumé	•	•	•	•	G21
	— Edge		TO	Tobacco	•	•		•	205
	5		W	Polar White Blanc polaire	•	•	•	•	555 459-CA
			WK	Whisky	•	•	•	•	245

 * Non recommended color for work surfaces.
 ** For conference tables with 2 or more parts, we do not recommend the use of colors with irregular and contrasted woodgrain like Chiffon, Audacity or Coastal Pear as it results in a pronounced wood grain mismatch.

Colors may vary from 2% to 5% between tfl and hpl laminates due to different technical applications.

See our complete Colors & Finishes Guide

🛯 New

Availablility Chart

Metal	Finishes

SN Satin Nickel BL Black

WH White

Appendix A: Colors and Finishes (following)

12 Wood Stains

Logiflex offers varnish and stain selection among the following 12 colors on all wood applications.

Knots and color variation can occur between different wood components of the same piece of furniture, or between different pieces of furniture. This variation is due to the natural characteristics of the wood, and is more contrasting for pale wood colors like Golden Wheat.



- Due to its natural properties of wood, grain pattern and finish color variation can be expected.
- Although Logiflex offers great matches from laminate to wood, they are not exact due to grain
 pattern and sheen variation from laminate to wood. They coordinate throughout a floor plan,
 however we recommend they not be utilized on the same piece of furniture. See the Closest match

 Wood stain / Laminate guide.
- Adding a new product to an existing installation might result in color variations due to light exposure.
- RAW and HATLEY legs have a wood part.


3 Felt Colors for hexagonal tiles

Hexagonal felt tiles are $12" \times 10-25/64"$ tiles covered with felt and are offered in a choice of 3 colors.



10 Fabrics for Tackboards

You must specify the fabric when the item requires it. Please refer to the Logiflex fabric quide to make your choice.



See the Logiflex Graded-in List

Appendix A: Colors and Finishes (following)

15 Colors for Ezobord Sound Absorbing Overhead Screen

The Ezobord sound absorbing overhead screens are used to give an extra touch of privacy with a unique style and are offered in a choice of 15 colors.

2 Colors Available




BG07 Bold Gray

MG10 Moss Green

13 Other Colors Available, if Order 6 and More





RB08 Royal Blue


 These colors only apply to sound absorbing overhead screens products with codes OHSS or OHSD.

Appendix B: Surfaces and Molding Edges

SERIES	PREVIEW	COMPONENT	MATERIAL	EDGES / MOLDING
ХТ		1" surface	Thermofused laminate (TFL) - 1" high-density particle board.	1.5 mm polyvinyl chloride (PVC)
XTL		1-1/16" surface	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5 mm PVC edge.	1.5 mm polyvinyl chloride (PVC)
		Front and back	Thermofused laminate (TFL) - 5/8" high-density particle board.	1.5 mm polyvinyl chloride (PVC) on showing surfaces and 0.5 mm polyvinyl chloride (PVC) on non-showing surfaces.


Appendix C: Wood Grain

Wood grain runs lengthwise on surfaces and vertically on drawers, doors and legs. See image below for wood grain direction placements.




Appendix D: Pedestals and File Drawers


E and F Pedestals



File Drawers

File drawers can receive either legal or letter formats. Please refer to the illustration below.






Letter format

Legal format


Lateral File Drawers

Lateral file drawers can receive either legal or letter formats. Please refer to the illustration below.




Legal and Letter formats

30" and 36" file drawers can accomodate 2 rows of files. 42" file drawers can accomodate 3 rows of files.



Appendix E: Calculation and Use of Electrical Components



An Introduction to Calculation and Use of Electrical Components

Most people are uncomfortable with anything related to electricity. This step-by-step guide is intended for people who are not familiar with electrical installations but who have to specify what system they need when ordering furniture. In this guide, you will learn how to choose and specify the electrical components required for your projects. The list that follows illustrates and identifies each product and describes its applications.

The electrical components are all recognized by the Underwriters Laboratory (UL) as office furniture accessories and are manufactured according to Canadian Standards Association (CSA) and UL electrical standards.

Note: All electrical connections must be performed by a certified electrician.

By following these 3 simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical system.

- 1. Determing the Number of Amperes Required
- 2. Calculating the Total Amperes
- 3. Determing How Many Circuits You Need

STEP 1: Determing the Number of Amperes Required

What is Amperage

An Ampere (Amp or A) is a unit for measuring the rate at which electric current flows. All electrical equipment has an amperage rate. By following these few simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical equipment.


Determine the Number of Amperes Required

On your computer or other electric devices (ie: monitor, central processing unit, printer) find the plate that provides the technical specifications as follows:

Input: 120V - 1.8A.

If you cannot locate this information on the machine, you will probably find it in the user manual.

Here are a few examples of how many Amps some equipment may consume. Please note that these are examples and the number of amperes may vary from one machine to another.



Electrical System Capacity

Our electrical system is designed for circuits of 20 amps each. This includes electrical components such as computers, printers, laptops, monitors, server or other devices.



20A


A single Duplex has a maximum capacity of 20 A



Each power block can hold 2 Duplex



Each power block can hold 4 Duplex




If the duplexes are connected to the same circuit, the capacity is divided between them. For example, 3 duplexes connected to the same circuit have a total capacity of 20A.

Appendix E: Calculation and Use of Electrical Components

STEP 2: Calculating the Total Amperes


Add the Amperes

Add the number of amps for each machine. In our example, there are 4 CPUs at 2.5A per computer, 4 monitors at 0.5A and one printer at 9A.



The total number of amperes used in this example equals to 21A.


Divide by 16




Most machines and computers used in offices or schools are used continuously for many hours at a time. In this type of situation, national electrical codes usually limit circuits at 80% of their capacity of continuous use. Our electrical system is designed for circuits of 20 amps each. So 80% of 20A is 16 Amps You must therefore divide the total number of amperes calculated by 16.

STEP 3: Determing How Many Circuits You Need


In most cases, this number will contain decimals. Round up to the next whole number, and this will be the number of circuits required for your equipment to run safely. If the number obtained is higher than 4 (the maximum number of circuits for a system), you must reduce the total amperage or add another electrical system. Continuing with our example, the 1.3A is rounded up to 2A.



Here is one possible configuration. Using 5 power blocks joined together with junction cables, only 2 circuits are being used. The 4 workstations would be on the first circuit for a total of 16 amps. The printer would be on the second circuit.



Appendix E: Calculation and Use of Electrical Components



Appendix F: Locks

E1

See the E1 lock guide here See the instruction videos of the E1 lock Features:

- Keypad with backlight for easy distinction;
- Wrong code or illegal card alarm;
- Code combination ranging from 1 to 9 digits for multiple possibilities;
- Private and public mode;
- · Stainless steel material;
- External power back up.

Lock/Unlock by Master or User Card:

- Scan the master card near the instruction area. The green light comes on with a beep and the lock is unlocked.
- Permanent code mode: scan the card. The red light comes on with 2 beeps and the lock is automatically locked.
- One-time code mode: after unlocking by user card, the lock is in unlocked state.

Power supply	3 x AA alka- line batteries
Card type	EM card (125KHz)
Battery life	12115 months
Static current	≤20µA
Dynamic current	≤200mA
Working temperature	-15 🛛 +55🖾
Working humidity	20 🛛 95%RH
Alarm voltage	3.7±0.2V
Door thickness	≥1mm

E2

Program/Change Master Card:

- · After initialization, scan a card near the instruction area.
- After 3 long beeps, the programmed card becomes master card.
- During the flashing period of the LED, the other 2 cards can be programmed up to 3 times max.
- The other 2 cards are needed in the future if one or 2 cards are lost.
- The programming procedure is: * master card # new master card.
- After programming a new master, the lost master card is deleted.

Delete Permanent Code:

• Tap the master card on the inductive areas three times. After 3 short beep sounds the permanent code is deleted.

Lock/Unlock by Permanent Code:

- Digital code (max 9 digit) followed by #
- After being unlocked for five seconds, a red light and two beep will sound while the locking automatically.

See the E2 lock guide here See the instruction videos of the E1 lock Features:

- Tactile buttons and indicators sound for a premium experience;
- Automatic alarm after 4 attempts;
- 4 digit combination for 10,000 possibilities;
- For shared use (public);
- Low consumption of battery (more than 5,000 uses);
- Easy button cell battery change.

Program your Personnal Code:

- Lock: Enter a 4-digit code and turn lock button to lock. Memorize this code. This code will be valid for one use only.
- Unlock: Enter this 4 digit code again and turn lock button to unlock. Do NOT press OK.

Forgotten Code:

- Note the serial number located on the side of the lock.
- Contact Logiflex to obtain the master code for your lock.
- Enter the 8-digit master code and press OK.
- Turn the lock to open.

Master Key Forgotten Code:

- · Contact the person in charge of the master key.
- Insert the key and press OK.
- Turn the lock to open.

Port for master key

and serial number (on the side)

Touch screen

Lock

Master key sold separately, see Accessories.

CMLK



Features:


- · Key lock for use in lockers.
- Lock numbers are assigned randomly. Identical keys not available.
- The CMLK lock is different from the standard Logiflex lock. Additional keys and master keys are available on request. Mention that it is the locker lock.
- Finish: Chrome.

March 1, 2024 | USA


Battery case


2

4



Appendix G: Electrical Wire Management Solutions





CHICAGO CODE

There is a specific norm about Chicago electrical components. Some of our products are approved, but not all of them.

If you see this logo in Accessories, this means the product is **NOT** approved in Chicago. More info here.


Or

Starter cable BE-PI72

Appendix G: Electrical Wire Management Solutions (following)


Example: Option 1.5" Space

Specify this option to allow a 1.5 space between the surface and panel for wiring to run below the surface.




Example: Island Station

The island stations have a removable panel on the side where there is no storage, the removable panels are used to provide access to plugs.




Example: IND Pedestal and High Pedestal

The pedestals have a 2.5' recess to pass wiring.




The pedestals have an open back for access to wiring, concealed with a removable panel on the cabinets and BB.



Appendix G: Electrical Wire Management Solutions (following)


Example : Storage Tower


Storage towers can be specified with a recessed back by requesting a cutout on the right, left or both sides.




Example : Under the Surface


A metal cable tray can be installed on the dividing panels and power walls. It is recommended to install the cable tray with the help of the supports CNT01/02/03.






To pass wiring between dividing panels or in power walls, you must order a DSG and drill a 2.5" hole during installation.








Appendix H: Surface Support


Example : Dividing Panel

The dividing panels are dependent on the furniture inside, here are the rules to follow according to the specification;



Example : Power Wall


Power walls do not need furniture to be supported, Elevation Plus tables should be used more;




Power wall



Options



How to Order



Manufacturing Standards

Power wall with:

- 1" laminate frame with 6" interior space to allow the wiring to pass through;
- Open bottom for wire management;
- · Open sides on the left and the right with connectors;
- · Connectors compatible with power wall or end panels only;
- White nylon levelers;
- Vertical wood grain.
- · Requires end panel when not connected to power wall
- 8" thick

Non freestanding furniture.

Refer to Appendix H for specification rules.

End panels are needed to close the ends. See p. 31.

Panel accessories sold separately.


Power block option:

Plugs, telecom plate and cables sold separately.


Prices

Dimensions A B		
24 42	728	
30 42	800	
36 42	898	
24 54	849	
30 54	891	
36 54	928	


T-shaped Power Wall with dividing panel - 42"H



(+) Options



How to Order



(b) Manufacturing Standards

Power wall with:

- 1" laminate frame with 6" interior space to allow the wiring to pass through;
- Open bottom for wire management;
- Open sides on the left and the right with connectors;
- · Connectors compatible with power wall or end panels only;
- White nylon levelers;
- Vertical wood grain.
- · Requires end panel when not connected to power wall
- 8" thick

Non freestanding furniture.

Refer to Appendix H for specification rules.

End panels are needed to close the ends. See p. 31.

Panel accessories sold separately.


Power block option:

Plugs, telecom plate and cables sold separately.

Power block with finishing panel option not available on sides with division panel and for the *13" and *21" walls.

\$ Prices

Dimensions A B C D		
*13 42 12 42	807	
*21 42 20 42	874	
25 42 24 42	941	
31 42 30 42	1043	
37 42 36 42	1195	



APB

N (std)

Access

panel

Ν

BL (std)

Metal

BL

N (std)

Front

connector Ν

CD

Panel

dimensions

2042

Example

XT

Series

ΧТ

AB

Dimensions

low wall

2154

PWLT

Product


PWLT

LOGIFLEX | XTENSION

28


X-shaped Power Wall with dividing panels - 42"H

PWLX - 42"H




Options

Connector



How to Order



(b) Manufacturing Standards

Power wall with:

- 1" laminate frame with 6" interior space to allow the wiring to pass through;
- Open bottom for wire management;
- Open sides on the left and the right with connectors;
- · Connectors compatible with power wall or end panels only;
- 2 simple dividing panels, fixed to the center;
- White nylon levelers;
- Vertical wood grain.
- · Requires end panel when not connected to power wall
- 8" thick

Non freestanding furniture.

Refer to Appendix H for specification rules.

End panels are needed to close the ends. See p. 31.


Panel accessories sold separately.

Power block with finishing panel option not available on sides with division panel.

(\$) Prices


Dimensions A B C D		
13 42 12 42	1001	
21 42 20 42	1067	
25 42 24 42	1098	
31 42 30 42	1256	
37 42 36 42	1462	

X-shaped Power Wall with dividing panel - 54"H



Connector (back) B S0 (front) E S0

How to Order



Manufacturing Standards

Power wall with:

- 1" laminate frame with 6" interior space to allow the wiring to pass through;
- Open bottom for wire management;
- Open sides on the left and the right with connectors;
- · Connectors compatible with power wall or end panels only;
- 2 simple dividing panels, fixed to the center;
- White nylon levelers;
- Vertical wood grain.
- · Requires end panel when not connected to power wall
- 8" thick

Non freestanding furniture.

Refer to Appendix H for specification rules.

End panels are needed to close the ends. See p. 31.

Panel accessories sold separately.

Power block with finishing panel option not available on sides with division panel.

Prices

Dimensions A B C D		
13 54 12 42	1092	
21 54 20 42	1156	
25 54 24 42	1209	
31 54 30 42	1345	
37 54 36 42	1486	
13 54 12 54	1183	
21 54 20 54	1261	
25 54 24 54	1309	
31 54 30 54	1462	
37 54 36 54	1644	

March 1, 2024 | USA

Walls and Panels	
End Panel for Power Wall	
EPAN	🕒 Manufacturing Standards
В	 End panel: 1" laminate panel; With connectors for power wall.
	Important: Must be the same height as the power wall
A	Position of grommet: An ELPF grommet is aligned with the power wall and at 20" H.
	To connect division panels on the left or on the right, see products PANL, PANR, PANC.
	S Prices
Grommet	Dimensions A B 08 42 91 08 54 97

 How to Order

 AB
 GRC

 XT
 EPAN


 Series
 Dimensions
 Product


 Grommet
 Grommet

 Example
 XT
 0842
 EPAN
 N


GRC \$0

End panel for power wall, extended on one side





🔄 How to Order



 Manufacturing Standards

 End panel for power wall, extended on one side:

 • 1" laminate panel;

 • With connectors for power wall;


 • White nylon levelers.


Important: Must be the same height as the power wall.
Connectors: The left panel can only have one connector, on the left.
The right panel can only have one connector, on the right.
Position of grommet: An ELPF grommet is aligned with the power wall and at 20" H.
To connect division panels on the left and on the right, see products PANL, PANR, PANC.

S Prices

\cup		
Dimensions		
ΑB		
28 42	261	
32 42	273	
28 54	315	
32 54	352	

End panel for power wall, extended on both sides





\oplus GRC NGR (std) R L N (std) N (std) AB XT EPANC Right connector Left Series Dimensions Product Grommet connector EPANC ΧТ 3242 Ν Ν Example Ν

(b) Manufacturing Standards

- End panel for power wall, extended on both sides:
- 1" laminate panel;
- With connectors for power wall;
- White nylon levelers.

Important: Must be the same height as the power wall


Position of grommet: An ELPF grommet is aligned with the power wall and at 20" $\rm H.$


To connect division panels on the left or on the right, see products PANL, PANR, PANC.

Prices

Dimensions		
A B		
32 42	237	
48 42	255	
32 54	298	
48 54	334	

Simple panel





How to Order \bigoplus N L (std) N R (std) AB XT PAN Left Right Series Dimensions Product connector connector ΧТ 2642 PAN Ν Example Ν

March 1, 2024 | USA

(b) Manufacturing Standards

Simple panel:

- 1" laminate with connectors on each end;
- · White nylon levelers.
- · Vertical woodgrain.

Non freestanding furniture.

Refer to Appendix H for specification rules.

Electrical management: refer to Appendix G.


Panel accessories sold separately.

For wire management, holes must be drilled on site be the installer. See Accessories section for DSG grommet.


(\$) Prices

Dimensions		
A B		
06 42	81	
12 42	93	
14 42	107	
15 42	112	
18 42	133	
20 42	153	
24 42	180	
26 42	194	
30 42	227	
32 42	243	
36 42	279	
42 42	310	
48 42	352	
06 54	93	
12 54	112	
14 54	128	
15 54	140	
18 54	170	
20 54	189	
24 54	230	
26 54	243	
30 54	286	
32 54	322	
36 54	358	
42 54	395	
48 54	448	

L-shaped Panel



G How to Order




Manufacturing Standards L-shaped panel: Delivered disassembled; 1" laminate with connectors on each end; White nylon levelers. Vertical woodgrain. Non freestanding furniture. Refer to Appendix H for specification rules. Electrical management: refer to Appendix G. Panel accessories sold separately.

For wire management, holes must be drilled on site be the installer. See Accessories section for DSG grommet.

Dimensions		
ABCD		
07 42 06 42	167	
21 42 20 42	306	
25 42 24 42	359	
31 42 30 42	454	
37 42 36 42	558	
07 54 06 42	193	
21 54 20 42	340	
25 54 24 42	411	
31 54 30 42	511	
37 54 36 42	636	
07 54 06 54	211	
21 54 20 54	376	
25 54 24 54	461	
31 54 30 54	570	
37 54 36 54	715	

March 1, 2024 | USA





Example

ΧТ

1242

Ν

Ν

PANT

1342


Ν

41 54 40 54

789

Walls and Panels

X-shaped Panel



Example

Series

ΧТ

Dimensions

1342

Product

PANX

Rear

connector

Ν

31 54 30 54

37 54 36 54

41 54 40 54

856

1074

1183

Left

connector

Ν

Height

2nd panel

1242

Right

connector


Ν

Front

connector

Ν

Hanging tackboard



Manufacturing Standards

Hanging tackboard :


- 7/8" tackboard, 1/8" tick clip, ~1" thick total;
- Hanging on panels or on power walls;
- 2 hooks in the finish of your choice included.

The height of the panels is 3 "less than the overall height.

We do not recommend the use of tackboards with height adjustable tables unless there is adequate clearance.

COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price

Dimensions													
A B	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR
12 24	281	308	342	377	420	464	507	550	593	637	680	767	854
12 30	281	308	342	377	420	464	507	550	593	637	680	767	854
12 36	281	308	342	377	420	464	507	550	593	637	680	767	854
12 42	281	308	342	377	420	464	507	550	593	637	680	767	854
12 48	281	308	342	377	420	464	507	550	593	637	680	767	854
12 54	281	308	342	377	420	464	507	550	593	637	680	767	854
12 60	380	415	461	507	565	623	680	738	796	854	911	1027	114
12 66	380	415	461	507	565	623	680	738	796	854	911	1027	114
12 72	426	469	527	585	657	730	801	874	946	1019	1090	1235	137
18 24	309	335	370	404	447	491	534	578	621	665	708	794	88
18 30	309	335	370	404	447	491	534	578	621	665	708	794	88
18 36	309	335	370	404	447	491	534	578	621	665	708	794	88
18 42	309	335	370	404	447	491	534	578	621	665	708	794	88
18 48	309	335	370	404	447	491	534	578	621	665	708	794	88
18 54	309	335	370	404	447	491	534	578	621	665	708	794	88
18 60	408	443	489	536	593	651	709	767	824	882	940	1055	117
18 66	408	443	489	536	593	651	709	767	824	882	940	1055	117
18 72	454	497	554	612	685	757	828	901	973	1046	1117	1262	14(
						= 1 0							
24 24	335	361	396	431	474	518	561	604	647	691	734	820	907
24 30	335	361	396	431	474	518	561	604	647	691	734	820	907
24 36	335	361	396	431	474	518	561	604	647	691	734	820	907
24 42 24 48	335 335	361 361	396 396	431 431	474 474	518 518	561 561	604 604	647 647	691 691	734 734	820 820	907 907



Markerboard



(C) Manufacturing Standards

Markerboard:

- 5/8" board, 1/8" tick clip, ~3/4" thick total;
- To install on panels or on power walls;
- 2 hooks in the finish of your choice included.


The height of the tackboard is 3 "less than the overall height.

We do not recommend the use of tackboards with height adjustable tables unless there is adequate clearance.

Prices		
Dimensions		
АВС		
12 24	122	
12 30	133	
12 36	146	
12 42	158	
12 48	170	
12 54	182	
12 60	194	
12 66	206	
12 72	218	
18 24	152	
18 30	170	
18 36	189	
18 42	206	
18 48	225	
18 54	243	
18 60	261	
18 66	279	
18 72	298	
24 24	176	
24 30	201	
24 36	225	
24 42	249	
24 48	273	

How to Order AB SN WH BL (std) XT MBP Series Dimensions Product MBP BL Example XT 1824

Panel Accessories Transaction Shelf




Manufacturing Standards


- Transaction shelf with:
- 1" laminate;
- 2 "L" brackets included;
- To install on dividing panels or power walls;
- 2 brackets when less than 42", 3 brackets when 42" and more.

Prices		
Dimensions A B C		
12 24	104	
12 30	109	
12 36	116	
12 42	122	
12 48	128	
12 54	140	
12 60	152	
12 66	164	
12 72	176	




Metal Planter Box







How to Order



06 70

322





(b) Manufacturing Standards

Hexagonal felt tile:

• Accoustical adhesive felt tile 10-3/8" x 12".


Important: Item is too thin to be used as tackboard.

Felt colors: Blue BL, Light Grey LG, Dark Grey DG.

Prices			
Code			
ATF01 LG	64		
ATF01 DG	64		
ATF01 BL	64		



Stabilazing Laminate Corner



How to Order

(b) Manufacturing Standards

Laminate triangle corner with:

- 1" laminate panel;
- Mounting hardware;
- Made for situations where no items are panel mounted;
- Maximum load: 25lbs.

Prices		
Dimensions A B		
12 12	59	

[XT	12 12	MTC
	Series	Dimensions	Product
Example	ХТ	1212	MTC
March 1, 20)24 USA		

Sound absorbing overhead screen - 1-sided



(C) Manufacturing Standards

Sound absorbing overhead screen - 1 sided:

- · Total height of 18", exceeds 15" from the wall;
- 100% PET (min, 50% recycled content);
- 12 mm material;
- 15 finishes available;
- No hardware assembly;
- Fully tackable surface;
- Sound absorption characteristics:
- NRC: 0.80
- SAA: 0.80 ASTM C423

Ezobord Colors: Bold Gray BG07, Green Moss MG10.

For more colors, see Appendix A. Note that you must order 6 or more to access the other colors.

Prices		
Dimensions A		
30	1001	
36	1001	

How	to Order			
	0466	1	[]	
	OHSS Product	Dimensions	Finishes see appendix A	

Sound absorbing overhead screen - 2-sided



(Manufacturing Standards

Sound absorbing overhead screen - 2 sided:

- · Total height of 18", exceeds 15" from the wall;
- 100% PET (min, 50% recycled content);
- 12 mm material;
- 15 finishes available;
- No hardware assembly;
- Fully tackable surface;
- Sound absorption characteristics:
- NRC: 0.80

SAA: 0.80 ASTM C423


Ezobord Colors: Bold Gray BG07, Green Moss MG10.

For more colors, see Appendix A. Note that you must order 6 or more to access the other colors.

Prices		
Dimensions A		
30	1183	
36	1183	

	to Ordor		
How ·	to Order		
	OHSD		
	Product	Dimensions	Finishes see appendix A
Example	OHSD	30	BG07

Laminate Cover





(b) Manufacturing Standards

Laminate cover:

- · Laminate cover for cable tray;
- Mounting brackets;
- Dimension "B" is 1/4" recessed.

Prices		
Dimensions A B		
06 30	56	
06 36	61	
06 42	67	
06 48	72	
06 54	80	
06 60	85	
06 66	91	
06 72	97	
06 78	104	
06 84	109	





(b) Manufacturing Standards

Rectangular surface:

- 1" laminate surface;
- Hardware sold separately;
- Wiring space is removed from the overall dimension.

No machining.


Support: Legs, cantilever and independent storage are sold separately.

Maximum distance between two supports: 42".

Stiffener: The use of stiffeners is necessary for surfaces of 54[°] and more. It is used for the part of the surface not supported by a pedestal.




How to Order



Prices		
Dimensions		
A B		
15 24	104	
1530	104	
1536	104	
15 42	107	
15 48	122	
15 54	137	
15 60	152	
15 66	168	
1572	182	
15 78	197	
15 84	213	
20 16	104	
20 24	104	
20 30	105	
20 36	122	
20 42	142	
20 48	161	
20 54	182	
20 60	203	
20 66	222	
20 72	243	
20 78	264	
20 84	282	

Rectangular surface 24", 30" & 36"D (following)



(A) Manufacturing Standards

Rectangular surface:

- 1" laminate surface;
- · Hardware sold separately;
- Wiring space is removed from the overall dimension.

No machining.


Support: Legs, cantilever and independent storage are sold separately.


Maximum distance between two supports: 42".

534

36 84

Stiffener: The use of stiffeners is necessary for surfaces of 54" and more. It is used for the part of the surface not supported by a pedestal.





Surfaces			
D surface			
DTOP		Manufacturing Standards	الر
В		 D surface: 1" laminate; Hardware sold separately: See the support and modesty section. An independant pedestal can also be used; Wiring space is removed from the overall dimension. 	




Support: Legs, cantilever and independent storage are sold separately.


Maximum distance between two supports: 42".

Stiffener: The use of stiffeners is necessary for surfaces of 54" and more. It is used for the part of the surface not supported by a pedestal.


Prices		
Dimensions		
A B		
24 54	273	
24 60	303	
24 66	334	
24 72	364	
24 78	395	
24 84	424	
30 54	340	
30 60	379	
30 66	417	
30 72	456	
30 78	492	
30 84	531	
36 54	411	
36 60	456	
36 66	501	
36 72	546	
36 78	592	
36 84	637	




How to Order




Collaboration surface





Poptions 1½" space for wiring F S S S S S

How to Order



March 1, 2024 | USA

LOGIFLEX | XTENSION

(Manufacturing Standards

Collaboration surface:

- 1" laminate;
- Angle: 135
- Hardware sold separately;
- Wiring space is removed from the overall dimension.

Overall dimensions :

- 30 54 30 : 43"D x 75-3/4"W
- 30 60 36 : 47-1/4"D x 86"W
- 30 66 36 : 47-1/4"D x 92"W

No machining.

Support: Legs, cantilever and independent storage are sold separately.


Maximum distance between two supports: 42".

Stiffener: The use of stiffeners is necessary for surfaces of 54" and more. It is used for the part of the surface not supported by a pedestal.

(\$) Prices

Dimensions A B C		
30 54 30	688	
30 60 36	869	
30 66 36	929	

Privacy corner screen



(b) Manufacturing Standards

Privacy Corner Screen

- 7/8" thick plywood panel, upholstered;
- With decorative piping;
- Set-on surface;
- · Panel / tackboard fabrics not recommended;
- Dimensions: 18" x 19-1/2".

Cannot be used as a tackboard

COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price

Price	S												
	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12
FSFD	450	477	511	546	589	633	676	719	762	806	849	936	1023



Supports	
End leg	
ENDLEG	Manufacturing Standards
A	End Leg: • 1" Laminate; • 4 mounting brackets; • White nylon levelers; • Height: 28"H.

Prices		
Dimensions A B		
20 28	133	
24 28	146	
30 28	158	
36 28	170	

How t	o Order		
		AB	
[XT		ENDLEG
	Series	Dimensions	Product
Example	ХТ	2028	ENDLEG
Marah 1 00			


В

D

Supports	
Middle leg	
MIDLEG	 Manufacturing Standards Middle leg: 1" laminate with space for wiring; 4 mounting brackets; White nylon levelers; Height: 28"H.
	S Prices Dimensions A B 12 28
How to Order	

		AB	
	XT		MIDLEG
	Series	Dimensions	Product
Example	ХТ	1228	MIDLEG

Legs







0

 \circ

(Manufacturing Standards

RAW:

- Base in metal, finish: Satin Nickel (SN), White (WH) and Black (BL);
- Wood insert (18");
- White nylon levelers;
- Height: 28".

RA2:


Metal

- · Set of 2 angled rectangular metal legs;
- Dimensions: 2" x 1";
- Finish: Satin Nickel (SN) and Black (BL);
- Height: 28".
- HATLEY:
- · Set of two 28" tapered legs with wood insert;
- 4" x 4" end plate;
- Finish: Satin Nickel (SN), Chrome (CHR) and Black (BL);
- Height: 28".

For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.

Available colors for wood (RAW & HATLEY): White Wash WW, Golden Wheat GW, Sand SD, Apricot AT, Pecan PN, Brandy BR, Chestnut CT, Coffee CF, Espresso ES, Bordeaux BO, Black Wash BW and Bark BK


Code		
RAWBL	190	
RAWSN	190	
RAWWH	190	
Code		
RA2SN	197	
RA2BL	197	
RA2WH	197	
Code		
HATSN	345	
HATCHR	345	
HATBL	345	



March 1, 2024 | USA

LOGIFLEX | XTENSION

Legs



(b) Manufacturing Standards


4.5:

- Fixed round metal leg / on leveler;
- 4-1/2" diameter;
- 6" x 6" end plate;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".

IFN:

- Fixed round metal leg / on leveler;
- 2-1/2" diameter;
- 3-3/4" x 3-3/4" end plate screwed to the leg;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".


Prices			
Code			
4.5BL	267		
4.5SN	267		
Code			_
oode			
IFNBL	93		
IFNSN	93		



March 1, 2024 | USA

LOGIFLEX | XTENSION

Legs



(A) Manufacturing Standards

LENNOX:

- Fixed Lennox leg;
- Base: 18";
- 8" x 8" end plate;
- Finish: Satin Nickel (SN), Black (BL) and Chrome (CHR);
- Height: 28".


MAGOG:

- Fixed Magog leg;
- Base: 18";
- 8" x 8" end plate;
- Finish: Satin Nickel (SN), Black (BL) and Chrome (CHR);
- Height: 28".

For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.

Prices		
Code		
LENSN	600	
LENBL	600	
LENCHR	1224	
LENWH	600	
		-
Code		

0000	
MAGSN	600
MAGBL	600
MAGCHR	1224
MAGWH	600



Supports		
Legs		
PATTEC30	PATTEC36	(b) Manufacturing Standards



C Metal Leg:

- Base in metal, Black (BL);
- White nylon levelers;
- Height: 28"H;
- $1 \frac{1}{2}$ " space for wiring with top is not compatible.

Prices			
Code			
PATTEC30	332		
PATTEC36	376		



Layering Desk Supports DRSUP

(b) Manufacturing Standards


Layering deskr:

- Drawer and front 5/8" laminate;
- Frame 1" laminate;
- · Mounting brackets, screws and double-sided tape included;
- Height: 3"H.
- Interior dimensions of the drawer: 11-11/16" width x 9-3/8" depth x 2-1/2" height.
- Dimensions recommendations:
 - -A 14 B 16 for 24" surface
 - -A 20 B 16 for 30" surface
- -A 26 B 16 for 36" surface


Support for high cabinets: This product is used to support the surface on a high cabinet 25"H.

(\$) Prices

Dimensions		
A B		
1416	215	
20 16	215	
26 16	215	



Color Combinaison




March 1, 2024 | USA

How to Order

Sup	ports
-----	-------

T-Support



() Manufacturing Standards

T-Support:

- 1" laminate;
- · Mounting brackets, screws and double-sided tape included;
- Height: 3"H;
- Dimensions recommendations:
 - -A 18 B 12 for 24" surface

-A 26 B 12 for 30" surface

-A 32 B 12 for 36" surface

Support for high cabinets: This product is used to support the surface on a high cabinet 25"H.


Prices		
Dimensions A B		
1812	104	
26 12	104	
32 12	104	

How	v to Order		
		AB	
	XT		TSUP
	Series	Dimensions	Product
Example	ХТ	1812	TSUP


CNT01

Cantilever support with space for cable tray





CNT02



CNT03

(Manufacturing Standards

Cantilever support with space for cable tray:

• Metal support, Satin Nickel finish;

- Without pointing for assembly;
- Height: 8"H.

Dimensions :

CNT01 : 16.5", for 20"D surface CNT02 : 20.5", for 24"D and 30"D surface CNT03 : 27", for 36"D surface To help installation, order IGS.

Work surface support. Refer to Appendix H for specification rules.

Compatible with CT24 and CT118 cable tray.

Prices			
Code			
CNT01	59		
CNT02	64		
CNT03	71		



Supports Slender cantilever support CNTC01 CNTC02 CNTC02 Cntlever support without reinforcement bar: • Metal support; • Without pointing for assembly;

• Height: 6"H.

Dimensions :

CNTC01 : 6", for surfaces less than 30" CNTC02 : 16", for surfaces 30" and more

Work surface support. Refer to Appendix H for specification rules.

To be used at the end of a surface when there is no electrical management.

Prices			
Code			
CNTC01	26		
CNTC02	36		



Shelf Support

CNTSH



(b) Manufacturing Standards


Shelf Support:

- Metal, finishes: Satin Nickel (SN), Black (BL) or White (WH);
- with hook at the base of the support;
- without pointing for assembly;
- For surface with a depth of 15";
- Support dimensions: 9"x9".

Prices			
Code			
CNTSH SN	80		
CNTSH BL	80		
CNTSH WH	80		



Stiffener



() Manufacturing Standards

Stiffener:


- Metal, Satin Nickel finish;
- Suggested for work surfaces 54" or more;
- Installation harware included.

Prices		
Dimensions A		
40	98	
46	98	
52	98	
58	98	
64	98	
70	98	

How to Order			
	RSTF	A	
	Product	Dimensions	
Example	RSTF	40	

Flush Plates





(b) Manufacturing Standards

2 Flush Plates with Screws:

- Metal support, Black finish;
- Without pointing for assembly.


Work surface support.

Refer to Appendix H for specification rules.

Prices		
Code		
FP2BL	16	

💮 How to Order		
FP2BL Product		
(
March 1, 2024 USA	LOGIFLEX XTENSION	

Pedestals



Product

EIND

Depth

20

Series

ΧТ

Example

Full depth

placket

Ν


Handle

H071BL

LOGIFLEX | XTENSION


Lock

LKBL



March 1, 2024 | USA

LOGIFLEX | XTENSION



March 1, 2024 | USA

Example

Series

ΧТ

Product

PGDIND

Depth

20

Full depth

placket

Ν


Handle

H071BL

LOGIFLEX | XTENSION


Lock

LKBL



March 1, 2024 | USA


LOGIFLEX | XTENSION




(How to Order (+)R N I KSN L ARLIND IR ARRIND N (STD) LKBL (STD) H071BL (std) А XT Full depth Series Product Depth Handle Lock placket ARLIND 20 H071BL LKBL ΧТ Ν Example

LOGIFLEX | XTENSION

Independant cabinet with two doors



Front Base



Color Combinaison

🖄 Manufacturing Standards

Independant cabinet with two doors:

- Cabinet without top;
- 1 adjustable shelf;
- 2-3/8" back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32"H opening in the back, concealed with a removable panel;
- White nylon levelers;
- Handles H071BL;
- Lock;
- Height: 28"H.

To use with power walls and division panels.


Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

Prices		
Dimensions A B		
20 24	851	
20 30	908	
20 36	948	
20 42	986	
24 24	875	
24 30	932	
24 36	972	
24 42	1010	

Depth of Leg

пп



March 1, 2024 | USA

Example

XT

Series

ΧТ

Depth

20

Width

16

BBLIND

Product

BBLIND


Full depth


placket

Ν

Independant lateral Filing cabinet







(b) Manufacturing Standards

Independant Lateral Filing cabinet:

- Cabinet without top;
- 2 lateral filing drawers;
- 2 crossbars per file drawer;
- · 2-3/8" back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32"H opening in the back;
- · White nylon levelers;
- Handles H071BL;
- Lock;

ПП

To use with power walls and division panels.

Remove lock as option, no extra charge.


Specify if different handle desired (no extra charge, see p. 94).


Prices		
Dimensions A B		
20 30	1064	
20 36	1153	
20 42	1239	
24 30	1088	
24 36	1177	
24 42	1263	


March 1, 2024 | USA

Mobile pedestal

Mobile pedestal with cabinet







() Manufacturing Standards

Mobile pedestal with 1-door cabinet:


- 1 storage on top;
- 4 black locking casters;
- Handle H071BL;
- Lock;
- Height: 20"H;
- 1 adjustable shelf.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

(\$) Prices		
Dimensions A B C		
16 10 20 16 16 20	712 725	

Mobile pedestal with 1 fixed shelf and 1 utility drawer



(A) Manufacturing Standards


Mobile pedestal with 1 fixed shelf and 1 utility drawer at the bottom:

- 1 storage space on top (2"H);
- 1 utility drawer at the bottom;
- 4 black casters with lock:
- Handle H071BL;
- Lock;
- Height: 20"H.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).


Prices		
Dimensions		
ABC		
16 10 20	712	
16 16 20	725	





High Pedestals

High Pedestals



Full depth placket

N

Area

Space 11/2" for wiring SPN

Prices

Manufacturing Standards

Dimensions		
АВС		
20 60 25	1759	
20 72 25	1844	

Example

XT

Series

ΧТ

Dimensions

2060

Product

OK25

Handle

H071BL

Lock


LKBL

Cushion

Ν

High Pedestals

High Pedestals



Manufacturing Standards

High Pedestal:

- · An open storage with 1 adjustable shelf;
- · A 2-door cabinet section with 1 adjustable shelf;
- 2-3/8" back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 12.5"H opening in the back, concealed with a removable panel on bookcase side and cabinet side;
- · White nylon levelers;
- · H071BL Handles;
- Lock;

(\$)

Dimensions АВС 20 60 25

20 72 25

Height: 25"H.


For wire access: Removable back on bookcase side and opening on the armory section.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

1599 1698

	Cushion													
Surface 1½" for wiring	30"	30" 36	36"	30"	36" 36									
F	60"	72 Cushion		50" Cushion	72" Right									
	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	leather
	\$350	\$362	\$380	\$397	\$419	\$440	\$462	\$484	\$505	\$527	\$548	\$592	\$635	\$600
SP_ \$0	\$350	\$362	\$380	\$397	\$419	\$440	\$462	\$484	\$505	\$527	\$548	\$592	\$635	\$600




March 1, 2024 | USA

Benches

19"

Benches with open storage




(b) Manufacturing Standards

Bench with open storage:

- 1" laminate frame with full back;
- 1-1/2"H Full cushion;
- Open storage with interior space 18" x 16";
- White nylon levelers.


COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.






Prices														
во														
Dimensions A B C 20 18 19	GRA 438	GR1 456	GR2 479	GR3 502	GR4 531	GR5 560	GR6 589	GR7 617	GR8 647	GR9 675	GR10 705	GR11 762	GR12 820	Cuir Leather 772
воо														
Dimensions A B C	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Cuir Leather
20 42 19	712	738	773	807	851	895	938	981	1024	1068	1111	1197	1284	1212

(💭 How to Order



Benches

Benches with file drawer



(A) Manufacturing Standards

Bench with open storage:


- 1" laminate frame with full back;
- 1-1/2"H Full cushion;
- 18"W: 1 file drawer (BF);
- · 42"W: 2 file drawers (BFF);
- Handle H071BL;
- White nylon levelers;
- · Lock.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, see p. 94).

COM Fabrics: COM Fabrics are provided by the customer. For pricing please refer GR2 grade price.

Col	or	Comb	inais	on
- 001	U I	COULD	mais	





Prices														
BF														
Dimensions A B C	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Cuir Leather
20 18 19	656	674	697	720	750	778	807	836	865	894	923	981	1038	990
BFF														
Dimensions A B C	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Cuir Leather
20 42 19	1160	1187	1221	1256	1299	1343	1386	1429	1472	1516	5 1559	1645	1733	1660

(G) How to Order

					(+)
		AB	BF BFF	H071BL (std)	N LKSN LKBL (std)
	XT				
	Series	Dimensions	Product	Handle	Lock
Example	ХТ	2018	BF	H071BL	LKBL

Benches






Storage Towers

Storage towers

Sliding storage




A B C 30 12 42

30 12 54

2522


2644





How to Order \oplus MGRL MGLR N LKSN SL01L SL01R MGRR P1 MGN (std) N (std) H071BL (std) LKBL (std) ABC XT Tab with notch Cutout Series Dimensions Product Handle Lock for wire management for socket 301242 SL01L MGN H071BL LKBL ΧТ Ν Example

Storage towers

Cabinet with coat hook








(\$) Prices		
Dimensions A B C		
20 18 42	809	
24 18 42	979	
20 18 54	967	
24 18 54	1162	

Storage	towers



Example

ΧТ

201842

BBUF


MGN


LKBL

H071BL

Storage towers

Cabinet with drawers






How to Order (+)MGRL MGLR N LKSN ARUFL ARUFR MGRR MGN (std) H071BL (std) LKBL (std) ABC XT Tab with notch Series Dimensions Product Handle Lock for wire management 201842 ARUFR MGN H071BL LKBL ΧТ Example

LOGIFLEX | XTENSION

Specify if different handle desired (no extra charge, see p. 94).

Prices		
Dimensions A B C		
20 18 42	1601	
24 18 42	1632	
20 18 54	1625	
24 18 54	1658	





Dimensions

ABC

15 36 36 15 42 36

15 30 42

15 36 42

15 30 54

15 36 54

15 30 36

832

861


885

861


885

909

933




How to Order





March 1, 2024 | USA


LOGIFLEX | XTENSION

Island station with Bookcase - 1 side










How to Order



Manufacturing Standards

- Island Station with Bookcase 1 side
- 1" laminate frame;
- Bookcase on 1 side with:
- 36"H: 2 open spaces 13 1/4"H (int.) 42"H: 2 open spaces 16 1/4"H (int.) 54"H: 3 open spaces 14 1/2"H (int.)
- Interior fixed shelves, not full depth;
- Removable end panel for wire management;
- White nylon levelers.

Options :


Outdoor shelf height: 29" (Island Station 36"H & 42"H), 42" (Island Station 54"H).

Outdoor shelf depth: 15".

Cutouts for socket: 1 by side.

For outlet, please refer to the Accessory section.

Prices		
Dimensions A B C		Interior depth shelf:
15 30 36	832	18 5/8"
15 36 36	861	21 5/8"
15 42 36	885	24 5/8"
15 30 42	861	18 5/8"
15 36 42	885	21 5/8"
15 30 54	909	18 5/8"
15 36 54	933	21 5/8"



For outlet, please refer to the Accessory section.

Prices		
Dimensions		
ABC		
15 30 36	1428	
15 36 36	1556	
15 42 36	1682	
15 30 42	1556	
15 36 42	1810	
15 30 54	1718	
15 36 54	1972	



\$273 ea.

		ABC	USLOR USLOL	E1 E2 N CMLK(std)	PL PR PRL N (std)	L R LR N (std)	WH SN BL (std)
	XT						
	Series	Dimensions	Product	Lock	Cutout for socket	Shelf	Metal
Example	ХТ	153036	USLOR	E1	Ν	Ν	BL

Ρ

\$0

CMLK

\$0

F2

\$164 ea.

LR -

PR

\$0

R

PLR

\$0

March 1, 2024 | USA

\$188

\$376

R

\$188


Handles

JA ndle	 6" metal handle; 5-1/32" (128mm) center to center.	H070 Handle	 8-3/16" metal handle; 7-1/2" (190.5mm) center to center.
6"	Code\$DescriptionHJA15Satin NickelHJAB15Black	8-3/16"	Code\$DescriptionH070BN15Brushed NickelH070CHR15Chrome
9-1/8"	 9-1/8" metal handle; 8-13/16" (224mm) center to center. Code <u>S</u> <u>Description</u> H011 15 <u>Satin Nickel</u>	H071 Handle 7-9/32"	 7-9/32" metal handle; 6-5/16" (160.338mm) center to center. Code \$ Description H071CHR 15 Chrome H071BN 15 Brushed Nickel H071BL 15 Black
051 Indle 3-5/32"	 3-5/32" metal handle; 2-17/32" (64mm) center to center. Code S Description H051CHR 15 Chrome H051SN 15 Satin Nickel H051BL 15 Black H051WH 15 White	H072 Handle 6-3/8"	H071WH 15 White • 6-3/8" metal handle; • • 5-1/32" (127.8mm) center to center. Code \$ Description H072CHR 15 Chrome H072BL 15 Black H072WH 15 White
7-1/32"	 7-1/32" metal handle; 6-9/32" (160mm) center to center. Code S Description H052CHR 15 Chrome H052SN 15 Satin Nickel H052BL 15 Black H052WH 15 White 	Handle 9-1/2"	 9-1/2" metal handle; 7-9/16" (192mm) center to center. Code S Description SXP002 15 Satin Nickel
60 dle 9-1/4"	 9-1/4" metal handle; 8-3/4" (222.25mm) center to center. Code <u>\$ Description</u> H060BN <u>15 Brushed Nickel</u> H060CHR <u>15 Chrome</u> 	SXP003 Handle 5-1/8"	 5-1/8" metal handle; 3-25/32" (96mm) center to center. Code \$ Description SXP003 15 Satin Nickel

Keyboard Trays

KB360M

Keyboard Tray




• Black plastic 24-1/2"wide retractable ergonomic keyboard;

- Lift NL and again a sustant (and laws) to a direct bright
- Lift-N-Lock spring system (no lever) to adjust height;
 Handle for easy tilt adjustment from 10" to 15";
- 10" x 7-1/2" mouse tray;
- 19" black gel wrist rest;
- 360° rotation.

 Code
 \$
 Des

 KB360M
 646

KB




- 24" wide keyboard tray only;
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4" to 2-3/4" / additional 2" for slides.

Code	\$	Description
KB	204	1" thick laminate
KBT	192	5/8″ thick laminate

KBMOD

Keyboard Tray



•	Keyboard tray, available in lengths from minimum 24" to
	maximum 30";


- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.

Code	\$	Description	
KBMOD	245	1" thick laminate	
KBMODT	233	5/8" thick laminate	

To order, for example a 27" long keyboard tray, 5/8" thick laminate: KBMODT27

KBMODR

Keyboard Tray



- 28" wide keyboard tray;
- 1" thick laminate;


· Black gel wrist rest.

- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides;
- · Black gel wrist rest / depth-adjustable stop handles.

Code	\$	Description
KBMODR	331	

AP

Wrist Rest



AP 78	8	


CPU Holders

MCPU50

Miniature CPU Holder

- Height adjustable: 8" 14";
- Width adjustable: 2" 4";
- Maximum capacity: 10 kg (22 lbs);
- Need a minimum 5" deep clearance.

Code	\$	Description
MCPU50	180	



Easy manipulation; Vertical adjustment: Height: 15.5" x 20" Width: 5.5" x 9.8" Horizontal adjustment: Height: 17.5" x 22" Width: 9.25" x 13.5"


· Black metal CPU holder;

Code \$ Description

MCPU90 227 per unit

CPUIND


CPU Holder



- 5/8" thick laminate CPU holder;
- 10" x 20" interior

Code	\$	Description
CPUIND	193	per unit


Computer Monitor Brackets



Computer Monitor Brackets


BRSC1M4

Monitor Arm




BRSC1M7

Monitor Arm




BRSC2M4

Double Monitor Arm



BRSC2M7

Double Monitor Arm




- Monitor arm with height-adjustable arm, clamp-mounted;
- Finish: Satin nickel.

 Code
 \$
 Description

 BRSC1M4
 753
 This is a Human Scale product.

BRSG1M4

Computer Monitor Bracket



- Computer monitor bracket with height-adjustable arm;
- · Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description	
BRSG1M4	723		
This is a Hun	nan Sca	ile product.	


Monitor arm with fixed-height arm, clamp-mounted;

Finish: Satin nickel.

Code	\$	Description	
BRSC1M7	531		
This is a Human Scale product.			



Computer Monitor Bracket



· Computer monitor bracket with fixed-height arm;

- · Grommet mounted;
- Finish: Satin Nickel.

Code \$ Description BRSG1M7 495

This is a Human Scale product.

 Double monitor arm with height-adjustable arm, clampmounted;

· Double monitor arm with fixed-height arm, clamp-mounted;

Finish: Satin nickel

· Finish: Satin nickel.

BRSC2M7


BRSC2M4 1324 This is a Human Scale product.

822

This is a Human Scale product.

BRSG2M4

Double Computer Monitor Bracket



- Double computer monitor bracket with height-adjustable
 arm;
- Grommet mounted;
- Finish: Satin Nickel.


de \$ Description

BRSG2M4 1315

This is a Human Scale product.

BRSG2M7

Double Computer Monitor Bracket



- Double computer monitor bracket with fixed height;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG2M7	785	
	0	

This is a Human Scale product.

Miscellaneous Accessories

LK Lock/key	 Locks with keys Finish: Satin nickel or black finish; Additional locks, sold separately or factory installed; Please specify the type of furniture on which the will be installed.
	Code \$ Description
	LKSN 46 Satin Nickel lock (factory installed)
	LKBL 46 Black lock (factory installed)
	LKSNF 30 Satin Nickel front lock
() at	LKBLF 30 Black front lock
~~	
	LKSNP 30 Satin Nickel door lock
	LKBLP 30 Black door lock
ē	KEY 25 Set of 2 keys - #501 - 600
	SERR 010 25 1 master key
TCPM Sliding Drawer	Black plastic sliding drawer with steel ball bearing slides. Code <u>\$ Description</u> TCPM 204
SWV Swivel Organizer Tray	 Storage drawer that rotate 360 degrees; Mounts flush to the edge; Dimensions: 7-1/2"D x 8-7/8"W x 1"H.

SB






- Short suspension bars: 1 or 2 suspension bars for a left/ right filing for a regular file drawer;
- · Long suspension bars: 1 or 2 suspension bars for a front/ back filing for a lateral file drawer.

Code	\$	Description	
SBV1	7	1 short suspension bar	
SBV2	15	2 short suspension bars	
SBH1	7	1 long suspension bar	
SBH2	15	2 long suspension bars	

GS

Installation guide for surface supports




- Compatible with; CNT01/CNT02/CNT03/CNTC01/CNTC02;
- 1" laminate;
- · White nylons levelers;
- Dimensions: 10"W x 28" H;
- It is recommended for every 10 workstations to have 1x IGS.

Code		Description
IGS	133	

IGWM


Installation guide for 1½" wire management space for surfaces




- 1" laminate;
- Dimensions: 5-3/8" D x 12"L;
- It is recommended for every 10 workstations to have 2x IGWM.

Code	\$	Description
IGWM	53	





Miscellaneous Accessories




CHE1 124

Electrical Accessories

BE-KDHB-1

Single sided power block (1)



Set including:

Set including:

BE-KDHB-4-BL

BE-KDHB-4-WH

Single sided power block (2);

• 4 Duplex -1 of each circuit;

4 Mounting plates;

- Single sided power block (1);
- 2 Duplex -1 circuit;
- 2 mounting plates;
- Max. 10 duplex per circuit (5 double half power block BE-KDHB-1).

213

224

· Max. 40 duplex (20 double half power block).

437

447



CHI


()

(-)

BE-KDHB-4

Single sided power block (2)

BE-KDBSM-1 Double sided power block



Set including:

Double sided power block;

Code \$ Description


- 4 duplex -1 circuit;
- 2 slide mounting brackets;
- Max. 10 duplex per circuit (2 double power block).

Code	\$	Description
BE-KDBSM-1-	-BL	410

)	BE-KDBSM-1-WH	428	



Double sided power block



(CH)


Set including:

- Double sided power block;
- 4 duplex -1 of each circuit;
- · 2 slide mounting brackets;
- Max. 40 duplex (10 double power block).

	Code \$	Description
\bigcirc	BE-KDBSM-4-BL	410
S	BE-KDBSM-4-WH	428

BE-WMS-32

Power and data cable support single sided (1)




- 32" metal wire management system for power block BE-DHB and 2 telecom plate cutouts
- · Channel to isolate power cables from data cables.
- · Screws included to install the channel under a top.
- Power block, duplexes and telecom plates not included
- · Colors : Black or white.

Code	\$	Description
BE-WMS-32-BL	273	Black
BE-WMS-32-WH	273	White

BE-WMD-32

Power and data cable support double sided (1)



32" metal wire management system for power block
BE-DBSM and 4 telecom plate cutouts.

· Channel to isolate power cables from data cables.

- · Screws included to install the channel under a top.
- Power block, duplexes and telecom plates not included
- Colors : Black or white.

Code	\$	Description
BE-WMD-32-BL	273	Black
BE-WMD-32-WH	273	White

Electrical Accessories

BE-HW SMWM * To be connected to an electrical box by an electrician. Cable Support • 3.5" metal wire support with 1 telecom plate cutout; 8 wires - 4 circuits 20A; Hardwired conduit power entry Satin nickel finish. · For 8 trac system; 3.5 · Bare wires at one end · Male end. Code Code SMWM 30 191 8 wire, 4 circuit - 72"L BE-HW-72 BE-HW-84 208 8 wire, 4 circuit - 84"L Ex: BE-TELB BE-HW-96 8 wire, 4 circuit - 96"L 232 BE-HW-120 271 8 wire, 4 circuit - 120"L (CHI) BE-HW-180 397 8 wire, 4 circuit - 180"L **BE-TELA** Blank plate; Telecom plate • 3-1/8" x 1-3/4"; · Colors: Black, White and Satin nickel; BE-PI72 • To be used with the APB, APF or AP2 access panel option · Corded power entry of 72"; of the supply walls. Corded Power entry · Right angle 20 Amp plug; Code <u>\$</u> Description Male end: BE-TELA-BL 6 1 circuit 20A; E Du BE-TELA-WH 6 · Must be plug on 20A outlet **BE-TELA-SN** 6

(CHI)


-

BE-PI72

237

BE-TELB

Telecom plate



S;

- 3-1/8" x 1-3/4";
- Adapter included.
- Colors: Black, White and Satin nickel.

Code	\$	Description
BE-TELB-BL	6	
BE-TELB-WH	6	
BE-TELB-SN	6	

Electrical Accessories

BE-NYHW

BE-J

NYC flex hardwired power infeed

Ennounnun gunnannun

M/M jumper	



* To be connected to an electrical box by an electrician.	
 8 wires - 4 circuits 20 A: 	

- · Bare wires at one end;
- For 8 trac system;

•	Male end	

iviale eria.		
Code	\$	Description
BE-NYHW-72	431	
BE-NYHW-84	453	
BE-NYHW-96	469	
BE-NYHW-108	492	
BE-NYHW-120	511	

- Not-adjustable;
- 8 wire 4 circuits;
- M/M;

(CHI)

(CHI)

- For 8 trac system;
- Minimum 12" Maximum 216".

0 1	<u> </u>	
Code	\$	Description
BE-J12	122	8 wire cable / 4 circuit - 12"L
BE-J18	130	8 wire cable / 4 circuit - 18"L
BE-J24	138	8 wire cable / 4 circuit - 24"L
BE-J36	150	8 wire cable / 4 circuit - 36"L
BE-J42	160	8 wire cable / 4 circuit - 42"L
BE-J48	170	8 wire cable / 4 circuit - 48"L
BE-J54	177	8 wire cable / 4 circuit - 54"L
BE-J60	192	8 wire cable / 4 circuit - 60"L
BE-J66	200	8 wire cable / 4 circuit - 66"L
BE-J72	210	8 wire cable / 4 circuit - 72"L
BE-J78	222	8 wire cable / 4 circuit - 78"L
BE-J84	233	8 wire cable / 4 circuit - 84"L
BE-J96	251	8 wire cable / 4 circuit - 96"L
BE-J120	293	8 wire cable / 4 circuit - 120"L
BE-J216	545	8 wire cable / 4 circuit - 216"L

BE-HC

Harness connector F/F



· Used to connect jumper cables; 1-1/2" x 2-1/4".


Code		Description	
BE-HC	57		

BE-DHB

BE-DBSM

Double sided power block

Single sided power block



- · Maximum of 2 duplex per block;
- · Includes mounting plates ;
- F/F;
- For 8-trac system ;
- · Duplex ordered separately.
- \$ Description Code 111



(CHI)

(CHI)

(CHI)

- · Maximum of 4 duplex per block;
- For 8-trac system ;
- · Slide mounting sold separately;
- F/F;
- · Duplex ordered separately.

Code	Descr

BE-DBSM 160

BE-D20-C

Duplex



• 20 Amp;

- Height 1-1/18";
- · For BE-DHB & BE-DBSM blocks ;
- Colors: Black or white ;
- · Maximum of 10 Duplex per circuit.

Code	\$	D	escription
BE-D20-C-	1-BL	50	Circuit 1 - 20A - Black
BE-D20-C-2	2-BL	50	Circuit 2 - 20A - Black
BE-D20-C-3	3-BL	50	Circuit 3 - 20A - Black
BE-D20-C-4	4-BL	50	Isolated Circuit 4 - 20A - Black
BE-D20-C-	1-WH	57	Circuit 1 - 20A - White
BE-D20-C-2	2-WH	57	Circuit 2 - 20A - White
BE-D20-C-3	3-WH	57	Circuit 3 - 20A - White
BE-D20-C-4	4-WH	57	Isolated Circuit 4 - 20A - White

Electrical Accessories


BE-SM58-2 Slide mount bracket	2 brackets; • Only for the double power block (BE DBSM); • 5/8" height; • Screws included. <u>Code \$ Description</u> BE-SM58-2 44	SQE Electric plug	 Electric plug; Cable - 120"; Finish: Black, Dusk, Navy, Storm. Code S Description SQE-120-C 142 Black SQE-120-JM 142 Dusk SQE-120-JL 142 Navy SQE-120-JK 142 Storm
WM Velcro Tie	 Velcro tie for electrical cable; The non-metallic buckle is safe to use around electrical devices; Dimensions: ¾" x 10"; Color: black. Code \$ Description WM 14 Unit price WMS 15 with #8, 9/16" Robertson screw, per unit	SQU USB port	 2 USB ports (passive); USB M/F cable - 72"; Finish: Black, Dusk, Navy, Storm. Code \$ Description SQU-72-C 233 Black SQU-72-JM 233 Dusk SQU-72-JL 233 Navy SQU-72-JK 233 Storm
SQC Ports USB A+C	Dual charger USB A+C; 72° cable; Finish: Black, Dusk, Navy, Storm Code \$ Description SQC-72-C 294 Black SQC-72-JJM 294 Dusk	BR1 Branch unit	 1 power outlet / 1 dual charger USB-a+c; Table top with braided storm 120 IN power cord. Code <u>S Description</u> BR1BL 548 Black BR1WH 548 White
	SQC-72-JL 294 Navy SQC-72-JK 294 Storm	BR2 Branch unit	 3 power outlet / 1 dual charger USB-a+c; Table top with braided storm 120 IN power cord.

С	ode	\$	Description
В	R2BL	705	Black
В	R2WH	705	White

Electrical Accessories

BCSS1BL Communication Box	 Communication box to be installed under surface; 2 empty telecommunication outlets (outlets not included); 15A/125V; 1 set of universal adapters. Code <u>S Description</u> BCSS1BL 181 Available in black only	POR 02 RJ11 connectivity port	 RJ11 connector, 4 pin RJ11 M/F cable - 84*; Finish: Black. Code <u>S Description</u> POR 02 44
BCSS2BL Communication Box	 Communication box to be installed under surface; 1 electrical outlet and 1 empty telecommunication outlet (outlet not included); 72" power cable with electric plug; 15A/125V; 	USB connectivity port	 1 USB (data/passive); USB M/F cable - 72°; Finish: Black. Code S Description POR 03 93
BCSS3BL	1 set of universal adapters. Code <u>\$ Description</u> BCSS2BL 181 Available in black only	POR 04 HDMI connectivity port	 HDMI connector; HDMI F/F cable - 18"; Finish: Black. Code <u>\$ Description</u> POR 04 138
Communication Box	 Communication box to be installed under surface; 2 electrical outlets; 72" power cable with electric plug; 15A/125V; 1 set of universal adapters. Code <u>S Description</u> BCSS3BL 181 Available in black only	POR 05 Mini Stereo Jack	 3.5 mm Mini Stereo Jack, M/F; Audio M/F cable -120"; Finish: Black. Code <u>\$ Description</u> POR 05 49
POR 01 RJ45, CAT 6 connectivity port	 RJ45, CAT6 connector; RJ45 M/F cable - 72"; Finish: Black. Code \$ Description POR 01 151	POR 06 VGA Connector	 VGA connector, 15 pin; VGA M/F cable -120"; Finish: Black. Code <u>S Description</u> POR 06 175

Electrical Accessories



Double-sided grommet

- Hole diameter: 2.5"
- Use for electrical cable management with division panels. Drilling to be done by the installer.
- · Grommet to cut on site for desired thickness to cover;
- Can not be cut with a simple utility knife, use a sharper and safer tool.

Code	\$	Description
DSG BL	30	Black
DSG WH	30	White

CT

Metal cable tray



Metal cable tray


In stainless steel;

- Dimensions: 2x4; Interior dimensions: 1-7/8"D x 1-7/8"H
- Length of 24" and 118" (118" can be cut on site).
- With mounting hardware

Code	\$	Description
CT24	67	
CT118	116	

WMP

Wire Management Pole



- Blank steel pole to bring cables from the ceiling to a work station;
- Satin nickel finish with a grey boot base;
- 2 compartments: 1 power/1 communications
- Mounting hardware, entrance end plate and ceiling trim plate included;
- · Wires and outlets not included;
- Height: 12' 5".

Code \$ Description

WMP 478

As our product line is constantly evolving and expanding, we recommend that you visit logiflex.ca for updates.

1 0 0 i f b X 1235 St-Roch N., Sherbrooke QC J1N 0H2 Canada T : 1.877.864.9323 | F : 1.800.474.7830 | logiflex.ca