

# XTENSION

Price List  
USA 2023



logiflex

# Table of Contents

<b>Introduction</b>	<b>3</b>	<b>Supports</b>	<b>54</b>
Product Map	5	Legs	55
Our social responsibility	8	Layering Surface Support	61
Conditions of Sale	8	Brackets and Stiffeners	63
Manufacturing Standards	9	<b>Pedestals</b>	<b>68</b>
How to Use the Price List	10	Independant Pedestals	69
Appendix A: Colors and Finishes	11	Mobile Pedestals	77
Appendix B: Surfaces and Molding Edges	14	High Pedestals	79
Appendix C: Wood Grain	15	Benches	81
Appendix D: Pedestals and File Drawers	16	<b>Storage Towers</b>	<b>84</b>
Appendix E: Calculation and Use of Electrical Components	17	Sliding Storages	85
Appendix F: Locks	20	Storage Towers	86
Appendix G: Electrical Wire Management Solutions	21	<b>Islands Stations</b>	<b>89</b>
Appendix H: Surface Support	24	Islands Stations	90
<b>Walls and Panels</b>	<b>25</b>	Islands Stations with Bookcase	91
Power Walls	26	Islands Stations with Lockers	92
Division Panels	31	<b>Accessories</b>	<b>93</b>
Panel Accessories	38	Keyboard Trays	95
<b>Surfaces</b>	<b>48</b>	CPU Holders	96
Rectangular Surfaces	49	Computer Monitor Brackets	97
D Surfaces	51	Miscellaneous Accessories	99
Collaboration Surfaces	52	Electrical Accessories	101
Privacy Corner Screen	53		

---

# Introduction

The Xtension furniture collection

# Update Summary

The Xtension price list presents these principal modifications:

DATE	SECTION	MODIFICATIONS
July 4, 2023	Electrical accessories	<ul style="list-style-type: none"><li>Chicago Code : Certain electrical components are now marked prohibited or restricted for orders in Chicago. (USA pricelist only).</li></ul>

Previous updates:

DATE	SECTION	MODIFICATIONS
May 22, 2023	Panels	<ul style="list-style-type: none"><li>Addition of new dimensions for panels PANLL, PANLR, PANT and PANX.</li></ul>
February 1, 2023	All the Price List	<ul style="list-style-type: none"><li>All prices have been increased by approximately 5%.</li><li>Transition from 6 to 14 grades of fabric.</li><li>New certification Indoor Advantage Gold (replace Greenguard).</li></ul>
December 1, 2022	Electrical accessories	<ul style="list-style-type: none"><li>Adjustment of the names and images of certain items.</li></ul>
July 1, 2022	Appendix A	<ul style="list-style-type: none"><li>Color availability chart update for the HPL.</li></ul>



# Introduction




## Product Map

### Walls and Panels


\*Do not mix Xtension with other collections  
[See the Xtension specifications guide here](#)

#### Power Walls




#### Division Panels

p.34



#### Panel Accessories


p.38



### Surfaces


#### Rectangular Surfaces

p.48



#### Privacy Corner Screen

p.52



# Introduction

Product Map

Supports

\*Do not mix Xtension with other collections

[See the Xtension specifications guide here](#)

Legs

p.54

Layering Surface Support

p.60

Brackets and Stiffeners

p.62

Pedestals

Independant Pedestals

p.68

Mobile Pedestals

p.76

High Pedestal

p.78

# Introduction

## Product Map

Pedestals (following)

\*Do not mix Xtension with other collections  
[See the Xtension specifications guide here](#)

Benches p.79

## Storage Towers

Sliding Storages p.84

Storage Towers p.85

## Islands Stations

Islands Stations p.88



## Our social responsibility

At Logiflex, we have chosen to be a responsible North American manufacturer by implementing initiatives for sustainable development. As much as possible, we source local materials and partner with suppliers who prioritize clean manufacturing processes. We also consolidate goods during transport to reduce fuel consumption and we continually make changes that help reduce our waste production.

The company is ISO 9001 certified.

You can consult our eco-responsible approach as well as all our certifications in the [Certifications](#) section of our website. Find out how our products can help you obtain LEED credits and the Logiflex products that are Indoor Advantage Gold certified.

## Conditions of Sale

### Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive.

### Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

### Customized Products (Special Items)

Price requests for customized products or special items can be submitted via the ["Private Space"](#) section of our website, at [www.logiflex.ca](http://www.logiflex.ca). Our quotations department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

### Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information:

- Your company letterhead
- Your reference number
- The delivery address (with contact name and phone number)
- The complete product codes
- Furniture colour(s)
- Quantities
- Descriptions
- Retail prices and net prices
- Project registration number (if applicable), and your approved quotation and technical drawing (for special items).

Please note that a quotation cannot serve as a purchase order.

### Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

### Modifications and/or Cancellations

You have 24 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 24-hour period. If you would like to modify or cancel your order after this 24-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

### Liability

Logiflex's liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

### Claims

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture within 30 days after delivery. Requests to replace damaged products can be made via the ["Private Space"](#) section of our website, at [www.logiflex.ca](http://www.logiflex.ca). Our after-sales service department will examine your request and help you correct the situation.

### Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

### Storage and/or Shipping Fees

According to the terms Logiflex set forth in the transport policy. The transport policy can be consulted online in the Private Space.

### Items Delivered Disassembled


Some items are delivered disassembled, such as empty desks, empty returns, bridges, arched tables, D, P or Q tables, lateral tables, end tables, hook tables, corner tables and extended-corner tables. To order these items assembled, add a \$100 list price. Contact Customer Service for details.

### Warranty

Logiflex guarantees to the original purchaser that Logiflex products are free from defects in design, materials and workmanship for the product's lifetime, with certain exceptions.

You may consult the full warranty on the website: [Logiflex Warranty](#)

# Introduction



## Manufacturing Standards

### Product Dimensions

For display purposes, the furniture dimensions represented in the price tables on each product page are rounded to the nearest whole number.

### Furniture Construction

- All desktops and legs are 1" thick laminate;
- Fronts and backs are 5/8" thick laminate.

### Handles

Handles are included for all Xtension furniture with doors. The standard handle, when included, is the H071BL handle (black). Please refer to the [Accessories](#) section for the list of handles available from Logiflex.

### Space for surfaces

All surfaces offer the option of having a 1.5" space to allow wiring to pass through. Please refer to the different product pages to see and understand its operation.

### Locks

Locks are included for all pedestals, lateral file drawers, cabinets and wardrobes. It is possible to specify a finish other than the black standard. Please refer to the [Accessories](#) section at the end of this price list to find out about the different finishes available from Logiflex.

### Pedestals

All drawers are made of black Medium density fiberboard (MDF) with an average thickness of 7/16". Utility, file and lateral file drawers have full extension slides. The lateral file drawer has a load capacity of 150lbs while the utility and file drawer have a load capacity of 100lbs.

### Drawer Fronts

A PVC strip 1.5 mm thick is systematically applied along all drawer front edges.

### Wood Grain

The wood grain is always vertical on fronts, furniture doors, walls and panels. Logiflex cannot guarantee that the wood grain will match up on the different parts of a same surface.

### Finishes

You must specify the desired finish(es) for each item of furniture ordered. Please make your selection(s) from the Logiflex chart.

### Levelers

All furniture items sit on 1" in diameter, white nylon levelers, allowing for up to 1-1/4" height adjustment. The standard finished height for work surfaces is 29".

# Introduction

## How to Use the Price List

**Interactive Menu**  
 Product line → Storage towers  
 Product group → Sliding Storage / Storage Towers

**Product name** → Cabinet with drawers  
**Product code** → ARUFL / ARUFR

**Product image** → 3D wireframe models of the cabinet with dimensions A, B, and C.

**Product Information** → Color Combination (Top, Front, Base)

**Manufacturing Standards**  
 Cabinet with 1 door, 1 utility drawer and 1 lateral file drawer:  
 • 1 cabinet section with 1 adjustable shelf for the 42"H cabinet with drawers, 2 adjustable shelves for the 54"H cabinet with drawers;  
 • 1 utility drawer;  
 • 1 lateral file drawer;  
 • Handles H071BL;  
 • Lock;  
 • White nylon levelers.

**Additional Product Information and Notes**  
 Remove lock as option, no extra charge.  
 Specify if different handle desired (no extra charge, see p. XX).

**Options**  
 Tab with notch for wire management  
 MG \$0

**Navigation Buttons (when blue)** → Previous View, Previous Page, Next Page, Product Map, Table of Contents

**Prices**

Dimensions			
A	B	C	
20	18	42	1432
24	18	42	1458
20	18	54	1453
24	18	54	1480

**Ordering instructions**

	ABC	ARUFL ARUFR	MGRL MGRLR MGRR MGN (std)	H071BL (std)	N LKSN LKBL (std)	
Series	XT					
Dimensions						
Product			Tab with notch for wire management	Handle	Lock	
<b>Example</b>	<b>XT</b>	201842	ARUFR	MGN	H071BL	LKBL

June 13, 2022 | Canada | LOGIFLEX | XTENSION | 84

**Standard Product Code**  
 Details as per the price listed


**Options, if desired (\$)**  
 Always after the product code

# Introduction



## Appendix A: Colors and Finishes

### How to specify your laminate colors



### Metal Finishes

- SN** Satin Nickel
- BL** Black
- WH** White

### Availability Chart

FINI FINISH	CODE	COLOR COULEUR	THICKNESS ÉPAISSEUR			HPL STRATIFIÉ	PANVAL CODE
			5/8"	1"	1-5/8"		
OMNIA	DOO	Dosha	•	•		•	K77
	COO	Cosmos	•	•		•	K78
AURA	GIA	Ginger Root   Gingembre	•	•		•	H72
	HAA	Haze   Brume	•	•	•	•	H57
	OHA	Ohm	•	•	•	•	K69
	STA	Storm   Tempête	•	•	•	•	H58
	TUA	Tundra	•	•		•	H75
LYRA	ASY	Asha	•	•		•	K47
	CIY	Chiffon   Mousseline **	•	•	•	•	K60
	KAY	Kali	•	•		•	K46
SUPERMAT	IGS	Ingot grey   Gris lingot	•	•			828
	WGS	Willow grey   Gris saule	•	•			802
DOLOMITE	AU	Audacity   Audace **	•	•	•	•	241
	B	Jet Black   Noir intense *	•	•		•	888   S405-CA
	BC	Brown cherry   Cerisier brun	•	•	•	•	207
	C	Slate   Ardoise *	•	•		•	801
	DR	Driftwood   Bois de rive	•	•		•	744
	G	Mink Grey   Gris vison	•	•		•	805   OU-927
	NM	Natural Maple   Érable naturel	•	•	•	•	206
	PO	Porto	•	•		•	913   OU-648
	SW	Smoked Walnut   Noyer fumé	•	•	•	•	G21
	TO	Tobacco	•	•		•	205
	W	Polar White   Blanc polaire	•	•	•	•	555   459-CA
WK	Whisky	•	•	•	•	245	
HIGH GLOSS   SUPER LUSTRE	W-H	Polar White - fronts   Blanc polaire - façades	•				

\* Non recommended color for work surfaces.

\*\* For conference tables with 2 or more parts, we do not recommend the use of colors with irregular and contrasted woodgrain like Chiffon, Audacity or Coastal Pear as it results in a pronounced wood grain mismatch.

Colors may vary from 2% to 5% between tfl and hpl laminates due to different technical applications.

See our complete [Colors & Finishes Guide](#)

**N** New



# Introduction

## Appendix A: Colors and Finishes (following)

### 12 Wood Stains

Logiflex offers varnish and stain selection among the following 12 colors on all wood applications.


Knots and color variation can occur between different wood components of the same piece of furniture, or between different pieces of furniture. This variation is due to the natural characteristics of the wood, and is more contrasting for pale wood colors like Golden Wheat.



**WW** White Wash



**GW** Golden Wheat



**SD** Sand



**AT** Apricot



**PN** Pecan




**BR** Brandy



**CT** Chestnut



**CF** Coffee



**ES** Espresso



**BO** Bordeaux



**BW** Black Wash



**BK** Bark

- Due to its natural properties of wood, grain pattern and finish color variation can be expected.
- Although Logiflex offers great matches from laminate to wood, they are not exact due to grain pattern and sheen variation from laminate to wood. They coordinate throughout a floor plan, however we recommend they not be utilized on the same piece of furniture. See the [Closest match - Wood stain / Laminate](#) guide.
- Adding a new product to an existing installation might result in color variations due to light exposure.
- **RAW** and **HATLEY** legs have a wood part.

### 3 Felt Colors for hexagonal tiles

Hexagonal felt tiles are 12" x 10-25/64" tiles covered with felt and are offered in a choice of 3 colors.



**BL** Blue



**LG** Light Grey



**DG** Dark Grey

### 10 Fabrics for Tackboards

You must specify the fabric when the item requires it. Please refer to the Logiflex fabric guide to make your choice.



**TBFRME** Medium Grey



**TBFRGR** Grey Mix



**TBOFTH** Thermal



**TBOFCO** Coal



**TBOFTI** Tidal



**TBOFHY** Hydro



**TBOFLA** Lava



**TBOFFO** Fossil



**TBSPAL** Alabaster



**TBSPOB** Obsidian

### Cushions Fabrics

[See the Logiflex Graded-in List](#)

# Introduction



## Appendix A: Colors and Finishes (following)

### 15 Colors for Ezobord Sound Absorbing Overhead Screen

The Ezobord sound absorbing overhead screens are used to give an extra touch of privacy with a unique style and are offered in a choice of 15 colors.

### 2 Colors Available



**BG07** Bold Gray



**MG10** Moss Green

### 13 Other Colors Available, if Order 6 and More



**PB09** Pure Black



**CG06** Charcoal Gray



**SG04** Silver Gray



**CW04** Classic White



**DS10** Desert Sand



**SD18** Sunny Days



**P114** Polar Ice



**OB14** Ocean Blue



**EG11** Elephant Gray



**TB35** Tree Bark




**BR34** Brick Red



**GV36** Grape Vine






**RB08** Royal Blue



• These colors only apply to sound absorbing overhead screens products with codes **OHSS** or **OHSD**.



## Appendix B: Surfaces and Molding Edges


SERIES	PREVIEW	COMPONENT	MATERIAL	EDGES / MOLDING
<b>XT</b>		<b>1" surface</b>	Thermofused laminate (TFL) - 1" high-density particle board.	1.5 mm polyvinyl chloride (PVC)
<b>XTL</b>		<b>1-1/16" surface</b>	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5 mm PVC edge.	1.5 mm polyvinyl chloride (PVC)
		<b>Front and back</b>	Thermofused laminate (TFL) - 5/8" high-density particle board.	1.5 mm polyvinyl chloride (PVC) on showing surfaces and 0.5 mm polyvinyl chloride (PVC) on non-showing surfaces.

# Introduction



## Appendix C: Wood Grain

Wood grain runs lengthwise on surfaces and vertically on drawers, doors and legs.  
See image below for wood grain direction placements.




# Introduction




## Appendix D: Pedestals and File Drawers

### E and F Pedestals




### File Drawers

File drawers can receive either legal or letter formats. Please refer to the illustration below.




### Lateral File Drawers


Lateral file drawers can receive either legal or letter formats. Please refer to the illustration below.



30" and 36" file drawers can accommodate 2 rows of files.  
42" file drawers can accommodate 3 rows of files.



## Appendix E: Calculation and Use of Electrical Components



### An Introduction to Calculation and Use of Electrical Components

Most people are uncomfortable with anything related to electricity. This step-by-step guide is intended for people who are not familiar with electrical installations but who have to specify what system they need when ordering furniture. In this guide, you will learn how to choose and specify the electrical components required for your projects. The list that follows illustrates and identifies each product and describes its applications.

The electrical components are all recognized by the Underwriters Laboratory (UL) as office furniture accessories and are manufactured according to Canadian Standards Association (CSA) and UL electrical standards.

**Note:** All electrical connections must be performed by a certified electrician.

By following these 3 simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical system.

1. Determining the Number of Amperes Required
2. Calculating the Total Amperes
3. Determining How Many Circuits You Need

### STEP 1: Determining the Number of Amperes Required

#### What is Amperage

An Ampere (Amp or A) is a unit for measuring the rate at which electric current flows. All electrical equipment has an amperage rate. By following these few simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical equipment.


#### Determine the Number of Amperes Required

On your computer or other electric devices (ie: monitor, central processing unit, printer) find the plate that provides the technical specifications as follows:

Input: 120V - 1.8A.


If you cannot locate this information on the machine, you will probably find it in the user manual.

Here are a few examples of how many Amps some equipment may consume. Please note that these are examples and the number of amperes may vary from one machine to another.



### Electrical System Capacity

Our electrical system is designed for circuits of 20 amps each. This includes electrical components such as computers, printers, laptops, monitors, server or other devices.




20A

A single Duplex has a maximum capacity of 20 A



Each power block can hold 2 Duplex



Each power block can hold 4 Duplex



If the duplexes are connected to the same circuit, the capacity is divided between them. For example, 3 duplexes connected to the same circuit have a total capacity of 20A.


# Introduction

## Appendix E: Calculation and Use of Electrical Components

### STEP 2: Calculating the Total Amperes

#### Add the Amperes


Add the number of amps for each machine. In our example, there are 4 CPUs at 2.5A per computer, 4 monitors at 0.5A and one printer at 9A.



$$2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 9A = 21A$$

The total number of amperes used in this example equals to 21A.


#### Divide by 16




Most machines and computers used in offices or schools are used continuously for many hours at a time. In this type of situation, national electrical codes usually limit circuits at 80% of their capacity of continuous use. Our electrical system is designed for circuits of 20 amps each. So 80% of 20A is 16 Amps. You must therefore divide the total number of amperes calculated by 16.

### STEP 3: Determining How Many Circuits You Need

In most cases, this number will contain decimals. Round up to the next whole number, and this will be the number of circuits required for your equipment to run safely. If the number obtained is higher than 4 (the maximum number of circuits for a system), you must reduce the total amperage or add another electrical system. Continuing with our example, the 1.3A is rounded up to 2A.



Here is one possible configuration. Using 5 power blocks joined together with junction cables, only 2 circuits are being used. The 4 workstations would be on the first circuit for a total of 16 amps. The printer would be on the second circuit.







## Appendix E: Calculation and Use of Electrical Components

### 8 Wire, 4 Circuit (3+1) Power Block

- Duplex are interchangeable permitting any required circuit combination;
- Blocks for single or double sided applications;
- Complies with National Electric Code;
- UL Listed/Recognized.

**Circuit I**

**Circuit II**

**Circuit III**

**Circuit IV**

### Starter Cable with Hardwire

- 4 circuit starter cable with hardwire at one end;
- 4 circuits rated for 20 AMP each;
- Available in lengths from 12"to 180";
- Whip end to be connected to building power by an electrician.

### Starter Cable with Plug

- 1 circuit starter cable with 20A electrical plug;
- Circuit rated for 20 AMP;
- Available in lengths from 36"to 180".

### Junction Cable


- 4 circuit cord;
- All circuits rated for 20 AMP;
- Available in lengths from 12"to 216".

# Introduction

## Appendix F: Locks

E1

[See the E1 lock guide here](#)  
[See the instruction videos of the E1 lock](#)



Features:

- Keypad with backlight for easy distinction;
- Wrong code or illegal card alarm;
- Code combination ranging from 1 to 9 digits for multiple possibilities;
- Private and public mode;
- Stainless steel material;
- External power back up.

Lock/Unlock by Master or User Card:

- Scan the master card near the instruction area. The green light comes on with a beep and the lock is unlocked.
- Permanent code mode: scan the card. The red light comes on with 2 beeps and the lock is automatically locked.
- One-time code mode: after unlocking by user card, the lock is in unlocked state.

Power supply	3 x AA alkaline batteries
Card type	EM card (125KHz)
Battery life	12~15 months
Static current	≤20μA
Dynamic current	≤200mA
Working temperature	-15 ℃ ~ +55 ℃
Working humidity	20 ~ 95%RH
Alarm voltage	3.7±0.2V
Door thickness	≥ 1mm

Program/Change Master Card:

- After initialization, scan a card near the instruction area.
- After 3 long beeps, the programmed card becomes master card.
- During the flashing period of the LED, the other 2 cards can be programmed up to 3 times max.
- The other 2 cards are needed in the future if one or 2 cards are lost.
- The programming procedure is: \* - master card - # new master card.
- After programming a new master, the lost master card is deleted.

Delete Permanent Code:


- Tap the master card on the inductive areas three times. After 3 short beep sounds the permanent code is deleted.

Lock/Unlock by Permanent Code:

- Digital code (max 9 digit) followed by #
- After being unlocked for five seconds, a red light and two beep will sound while the locking automatically.

E2

[See the E2 lock guide here](#)  
[See the instruction videos of the E1 lock](#)



Features:

- Tactile buttons and indicators sound for a premium experience;
- Automatic alarm after 4 attempts;
- 4 digit combination for 10,000 possibilities;
- For shared use (public);
- Low consumption of battery (more than 5,000 uses);
- Easy button cell battery change.

Program your Personal Code:

- Lock: Enter a 4-digit code and turn lock button to lock. Memorize this code. This code will be valid for one use only.
- Unlock: Enter this 4 digit code again and turn lock button to unlock. Do NOT press OK.


Forgotten Code:

- Note the serial number located on the side of the lock.
- Contact Logiflex to obtain the master code for your lock.
- Enter the 8-digit master code and press OK.
- Turn the lock to open.

Master Key Forgotten Code:

- Contact the person in charge of the master key.
- Insert the key and press OK.
- Turn the lock to open.

CMLK



Features:


- Key lock for use in lockers.
- Lock numbers are assigned randomly. Identical keys not available.
- The CMLK lock is different from the standard Logiflex lock. Additional keys and master keys are available on request. Mention that it is the locker lock.
- Finish: Chrome.





## Appendix G: Electrical Wire Management Solutions

Example : Power Wall PWL



### CHICAGO CODE

There is a specific norm about Chicago electrical components. Some of our products are approved, but not all of them.




If you see this logo in [Accessories](#), this means the product is **NOT** approved in Chicago. More info [here](#).

# Introduction

## Appendix G: Electrical Wire Management Solutions (following)


### Example: Option 1.5" Space

Specify this option to allow a 1.5" space between the surface and panel for wiring to run below the surface.




### Example: Island Station

The island stations have a removable panel on the side where there is no storage, the removable panels are used to provide access to plugs.




### Example: IND Pedestal and High Pedestal

The pedestals have a 2.5' recess to pass wiring.



The pedestals have an open back for access to wiring, concealed with a removable panel on the cabinets and BB.




# Introduction



## Appendix G: Electrical Wire Management Solutions (following)


### Example : Storage Tower

Storage towers can be specified with a recessed back by requesting a cutout on the right, left or both sides.




### Example : Under the Surface



A metal cable tray can be installed on the dividing panels and power walls. It is recommended to install the cable tray with the help of the supports CNT01/02/03.



If a cable tray is specified under an Elevation Plus table, it is recommended to specify a CTCOVER to hide the cables.



To pass wiring between dividing panels or in power walls, you must order a DSG and drill a 2.5" hole during installation.






## Appendix H: Surface Support



### Example : Dividing Panel

The dividing panels are dependent on the furniture inside, here are the rules to follow according to the specification;



### Example : Power Wall

Power walls do not need furniture to be supported, Elevation Plus tables should be used more;








# Walls and Panels


## Power wall

### PWL



### Options

#### Electric box with access panel



### How to Order

Series	Dimensions	Product	Access panel	Metal	
XT	AB	PWL	APF APB AP2 <b>N (std)</b>	SN WH <b>BL (std)</b>	
<b>Example</b>	<b>XT</b>	<b>2442</b>	<b>PWL</b>	<b>N</b>	<b>BL</b>

### Manufacturing Standards

- Power wall with:
- 1" laminate frame with 6" interior space to allow the wiring to pass through;
  - Open bottom for wire management;
  - Open sides on the left and the right with connectors;
  - Connectors compatible with power wall or end panels only;
  - White nylon levelers;
  - Vertical wood grain.
  - Requires end panel when not connected to power wall
  - 8" thick

**Non freestanding furniture.**  
 Refer to [Appendix H](#) for specification rules.  
 End panels are needed to close the ends. [See p. 31.](#)  
 Panel accessories sold separately.  
**Power block option:**  
 Plugs, telecom plate and cables sold separately.


### Prices

Dimensions	
A	B
24 42	693
30 42	762
36 42	855
<hr/>	
24 54	809
30 54	849
36 54	884

# Walls and Panels


## T-shaped Power Wall with dividing panel - 42"H

PWLT - 42"H



### Options


#### Electric box with access panel



(back)

**APB**  
\$217 ea.

#### Connector



**F**  
\$0

### How to Order

XT	AB	PWLT	CD	APB N (std)	SN WH BL (std)	F N (std)
Series	Dimensions low wall	Product	Panel dimensions	Access panel	Metal	Front connector
<b>Example XT</b>	2142	PWLT	2042	N	BL	N

### Manufacturing Standards

Power wall with:

- 1" laminate frame with 6" interior space to allow the wiring to pass through;
- Open bottom for wire management;
- Open sides on the left and the right with connectors;
- Connectors compatible with power wall or end panels only;
- White nylon levelers;
- Vertical wood grain.
- Requires end panel when not connected to power wall
- 8" thick

#### Non freestanding furniture.

Refer to [Appendix H](#) for specification rules.

End panels are needed to close the ends. [See p. 31.](#)

Panel accessories sold separately.

#### Power block option:

Plugs, telecom plate and cables sold separately.

Power block with finishing panel option not available on sides with division panel and for the \*13" and \*21" walls.


### Prices

Dimensions				
A	B	C	D	
*13	42	12	42	769
*21	42	20	42	832
25	42	24	42	896
31	42	30	42	993
37	42	36	42	1138

# Walls and Panels


## T-shaped Power Wall with dividing panel - 54"H

PWLT - 54"H



### Options


#### Electric box with access panel



(back)

**APB**  
\$217 ea.

#### Connector



**F**  
\$0

### How to Order

	AB		CD		APB N (std)	SN WH BL (std)	F N (std)
Series	Dimensions low wall	Product	Panel dimensions	Access panel	Metal	Front connector	
<b>Example</b>	<b>XT</b>	2154	PWLT	2042	N	BL	N

### Manufacturing Standards

Power wall with:

- 1" laminate frame with 6" interior space to allow the wiring to pass through;
- Open bottom for wire management;
- Open sides on the left and the right with connectors;
- Connectors compatible with power wall or end panels only;
- White nylon levelers;
- Vertical wood grain.
- Requires end panel when not connected to power wall
- 8" thick

#### Non freestanding furniture.

Refer to [Appendix H](#) for specification rules.

End panels are needed to close the ends. [See p. 31.](#)

Panel accessories sold separately.

#### Power block option:

Plugs, telecom plate and cables sold separately.

Power block with finishing panel option not available on sides with division panel and for the \*13" and \*21" walls.


### Prices

Dimensions				
A	B	C	D	
*13	54	12	42	930
*21	54	20	42	993
25	54	24	42	1016
31	54	30	42	1080
37	54	36	42	1282
*13	54	12	54	942
*21	54	20	54	1005
25	54	24	54	1063
31	54	30	54	1138
37	54	36	54	1236

# Walls and Panels


## X-shaped Power Wall with dividing panels - 42"H

PWLX - 42"H



### Options

#### Connector



### How to Order

	AB		CD		F N (std)	B N (std)
Series	Dimensions low wall	Product	Panel dimensions	Front connector	Rear connector	
<b>Example</b>	<b>XT</b>	2142	PWLX	2042	N	N

### Manufacturing Standards

Power wall with:

- 1" laminate frame with 6" interior space to allow the wiring to pass through;
- Open bottom for wire management;
- Open sides on the left and the right with connectors;
- Connectors compatible with power wall or end panels only;
- 2 simple dividing panels, fixed to the center;
- White nylon levelers;
- Vertical wood grain.
- Requires end panel when not connected to power wall
- 8" thick

#### Non freestanding furniture.

Refer to [Appendix H](#) for specification rules.

End panels are needed to close the ends. [See p. 31.](#)

Panel accessories sold separately.

Power block with finishing panel option not available on sides with division panel.


### Prices

Dimensions			
A	B	C	D
13	42	12	42
21	42	20	42
25	42	24	42
31	42	30	42
37	42	36	42

# Walls and Panels


## X-shaped Power Wall with dividing panel - 54"H

PWLX - 54"H



### Options

#### Connector



### How to Order

	AB		CD		F N (std)	B N (std)
Series	Dimensions low wall	Product	Panel dimensions	Front connector	Rear connector	
<b>Example</b>	<b>XT</b>	2154	PWLX	2042	N	N

### Manufacturing Standards

Power wall with:

- 1" laminate frame with 6" interior space to allow the wiring to pass through;
- Open bottom for wire management;
- Open sides on the left and the right with connectors;
- Connectors compatible with power wall or end panels only;
- 2 simple dividing panels, fixed to the center;
- White nylon levelers;
- Vertical wood grain.
- Requires end panel when not connected to power wall
- 8" thick

#### Non freestanding furniture.

Refer to [Appendix H](#) for specification rules.

End panels are needed to close the ends. [See p. 31.](#)

Panel accessories sold separately.

Power block with finishing panel option not available on sides with division panel.


### Prices

Dimensions					
A	B	C	D		
13	54	12	42	1040	
21	54	20	42	1101	
25	54	24	42	1151	
31	54	30	42	1281	
37	54	36	42	1415	
<hr/>					
13	54	12	54	1127	
21	54	20	54	1201	
25	54	24	54	1247	
31	54	30	54	1392	
37	54	36	54	1566	



## End Panel for Power Wall

### EPAN



### Manufacturing Standards

- End panel:
- 1" laminate panel;
  - With connectors for power wall.

**Important:** Must be the same height as the power wall

Position of grommet: An ELPF grommet is aligned with the power wall and at 20" H.

To connect division panels on the left or on the right, see products PANL, PANR, PANC.

### Options

#### Grommet



GRC  
\$0

### Prices

Dimensions	
A	B
08 42	87
08 54	92

### How to Order


	AB		GRC NGR (std)
XT		EPAN	
Series	Dimensions	Product	Grommet
<b>Example</b>	<b>XT</b>	0842	EPAN
			N

# Walls and Panels

## End panel for power wall, extended on one side

EPANL

EPANR



### Manufacturing Standards

- End panel for power wall, extended on one side:
- 1" laminate panel;
  - With connectors for power wall;
  - White nylon levelers.

**Important:** Must be the same height as the power wall.


**Connectors:** The left panel can only have one connector, on the left. The right panel can only have one connector, on the right.

**Position of grommet:** An ELPF grommet is aligned with the power wall and at 20" H.


To connect division panels on the left and on the right, see products PANL, PANR, PANL.

### Options

#### Connector



#### Grommet



### Prices

Dimensions	
A	B
28 42	249
32 42	260

28 54	300
32 54	335

### How to Order


Series	Dimensions	Product	Connectors	Grommet
XT	AB	EPANL EPANR	L R N (std)	GRC NGR (std)
<b>Example</b>	<b>XT</b>	<b>2842</b>	<b>EPANL</b>	<b>N</b>
			<b>NGR</b>	



# Walls and Panels

## End panel for power wall, extended on both sides

### EPANC



### Manufacturing Standards

- End panel for power wall, extended on both sides:
- 1" laminate panel;
  - With connectors for power wall;
  - White nylon levelers.


**Important:** Must be the same height as the power wall

Position of grommet: An ELPF grommet is aligned with the power wall and at 20" H.


To connect division panels on the left or on the right, see products PANL, PANR, PANC.

### Options

#### Connector



#### Grommet



### Prices

Dimensions	
A	B
32 42	226
48 42	243
32 54	284
48 54	318


### How to Order

XT	AB	EPANC	L N (std)	R N (std)	GRC NGR (std)
Series	Dimensions	Product	Left connector	Right connector	Grommet
<b>Example</b> XT	3242	EPANC	N	N	N

# Walls and Panels

## Simple panel


### PAN



L  R

### Options

#### Connector



### How to Order

Series	Dimensions	Product	N	
			L (std)	R (std)
XT	AB	PAN		
			Left connector	Right connector

**Example** XT 2642 PAN N N

### Manufacturing Standards

Simple panel:

- 1" laminate with connectors on each end;
- White nylon levelers.
- Vertical woodgrain.

#### Non freestanding furniture.

Refer to [Appendix H](#) for specification rules.

Electrical management: refer to [Appendix G](#).

Panel accessories sold separately.

For wire management, holes must be drilled on site by the installer. See [Accessories](#) section for DSG grommet.



### Prices

Dimensions		
A	B	
06	42	77
12	42	89
14	42	102
15	42	107
18	42	127
20	42	146
24	42	171
26	42	185
30	42	216
32	42	231
36	42	266
42	42	295
48	42	335
<hr/>		
06	54	89
12	54	107
14	54	122
15	54	133
18	54	162
20	54	180
24	54	219
26	54	231
30	54	272
32	54	307
36	54	341
42	54	376
48	54	427



# Walls and Panels

## L-shaped Panel

### PANLL



### PANLR



### Manufacturing Standards

L-shaped panel:

- Delivered disassembled;
- 1" laminate with connectors on each end;
- White nylon levelers.
- Vertical woodgrain.

#### Non freestanding furniture.

Refer to [Appendix H](#) for specification rules.


Electrical management: refer to [Appendix G](#).

Panel accessories sold separately.

For wire management, holes must be drilled on site by the installer. See [Accessories](#) section for DSG grommet.

### Options

#### Connector on the left



### Prices

Dimensions		
A	B C D	
07 42 06 42		159
21 42 20 42		291
25 42 24 42		342
31 42 30 42		432
37 42 36 42		531
<hr/>		
07 54 06 42		184
21 54 20 42		324
25 54 24 42		391
31 54 30 42		487
37 54 36 42		606
<hr/>		
07 54 06 54		201
21 54 20 54		358
25 54 24 54		439
31 54 30 54		543
37 54 36 54		681


### How to Order

XT	AB	PANLR PANLL	CD	N L (std)	N R (std)
Series	Dimensions 1st panel	Product	Dimensions 2nd panel	Left connector	Right connector
<b>Example</b> XT	2142	PANLR	2042	N	N

# Walls and Panels

## T-Shaped Panel

### PANT



### Manufacturing Standards

T-shaped panel:

- Delivered disassembled;
- 1" laminate with the possibility to connect on each end;
- White nylon levelers.
- Vertical woodgrain.

#### Non freestanding furniture.

Refer to [Appendix H](#) for specification rules.


Electrical management: refer to [Appendix G](#).

Panel accessories sold separately.

For wire management, holes must be drilled on site by the installer. See [Accessories](#) section for DSG grommet.

### Options

#### Connector



### Prices

Dimensions		
A	B	C D
13	42	06 42
13	42	12 42
21	42	20 42
25	42	24 42
31	42	30 42
37	42	36 42
41	42	40 42
13	54	06 42
13	54	12 42
21	54	20 42
25	54	24 42
31	54	30 42
37	54	36 42
41	54	40 42
13	54	06 54
13	54	12 54
21	54	20 54
25	54	24 54
31	54	30 54
37	54	36 54
41	54	40 54


### How to Order

Series	Dimensions	Product	Height	Connectors		
				Left connector	Right connector	Front connector
Example XT	1342	PANT	1242	N	N	N

# Walls and Panels

## X-shaped Panel

### PANX



### Manufacturing Standards

X-shaped panel:

- Delivered disassembled;
- 1" with the possibility to connect on each end;
- White nylon levelers;
- Vertical woodgrain.

#### Non freestanding furniture.

Refer to [Appendix H](#) for specification rules.


Electrical management: refer to [Appendix G](#).

Panel accessories sold separately.

For wire management, holes must be drilled on site by the installer. See [Accessories](#) section for DSG grommet.

### Options

#### Connector on the left



- L \$0
- F \$0
- R \$0
- B \$0

### Prices

#### Dimensions

A	B	C	D	
13	42	06	42	248
13	42	12	42	266
21	42	20	42	440
25	42	24	42	506
31	42	30	42	648
37	42	36	42	797
41	42	40	42	884

13	54	06	42	288
13	54	12	42	306
21	54	20	42	470
25	54	24	42	562
31	54	30	42	704
37	54	36	42	872
41	54	40	42	965

13	54	06	54	323
13	54	12	54	341
21	54	20	54	538
25	54	24	54	658
31	54	30	54	815
37	54	36	54	1023
41	54	40	54	1127


### How to Order

XT	AB	PANX	CD	N L (std)	N R (std)	N F (std)	N B (std)
Series	Dimensions	Product	Height 2nd panel	Left connector	Right connector	Front connector	Rear connector
Example XT	1342	PANX	1242	N	N	N	N

# Panel Accessories

## Hanging tackboard

### TBP



### Manufacturing Standards

Hanging tackboard :

- 7/8" tackboard, 1/8" tick clip, ~1" thick total;
- Hanging on panels or on power walls;
- 2 hooks in the finish of your choice included.

*The height of the panels is 3" less than the overall height.*

*We do not recommend the use of tackboards with height adjustable tables unless there is adequate clearance.*

### Prices

Dimensions		COM												
A	B	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12
12	24	268	293	326	359	400	442	483	524	565	607	648	730	813
12	30	268	293	326	359	400	442	483	524	565	607	648	730	813
12	36	268	293	326	359	400	442	483	524	565	607	648	730	813
12	42	268	293	326	359	400	442	483	524	565	607	648	730	813
12	48	268	293	326	359	400	442	483	524	565	607	648	730	813
12	54	268	293	326	359	400	442	483	524	565	607	648	730	813
12	60	362	395	439	483	538	593	648	703	758	813	868	978	1088
12	66	362	395	439	483	538	593	648	703	758	813	868	978	1088
12	72	406	447	502	557	626	695	763	832	901	970	1038	1176	1313
18	24	294	319	352	385	426	468	509	550	591	633	674	756	839
18	30	294	319	352	385	426	468	509	550	591	633	674	756	839
18	36	294	319	352	385	426	468	509	550	591	633	674	756	839
18	42	294	319	352	385	426	468	509	550	591	633	674	756	839
18	48	294	319	352	385	426	468	509	550	591	633	674	756	839
18	54	294	319	352	385	426	468	509	550	591	633	674	756	839
18	60	389	422	466	510	565	620	675	730	785	840	895	1005	1115
18	66	389	422	466	510	565	620	675	730	785	840	895	1005	1115
18	72	432	473	528	583	652	721	789	858	927	996	1064	1202	1339
24	24	319	344	377	410	451	493	534	575	616	658	699	781	864
24	30	319	344	377	410	451	493	534	575	616	658	699	781	864
24	36	319	344	377	410	451	493	534	575	616	658	699	781	864
24	42	319	344	377	410	451	493	534	575	616	658	699	781	864
24	48	319	344	377	410	451	493	534	575	616	658	699	781	864


### How to Order

	AB	TBP	SN WH BL (std)
XT			
Series	Dimensions	Product	Metal finish

**Example** XT 1824 TBP BL

## Markerboard

### MBP



### Manufacturing Standards

#### Markerboard:

- 5/8" board, 1/8" tick clip, ~3/4" thick total;
- To install on panels or on power walls;
- 2 hooks in the finish of your choice included.

*The height of the tackboard is 3" less than the overall height.*

*We do not recommend the use of tackboards with height adjustable tables unless there is adequate clearance.*

### Prices

Dimensions	
A	B C
12 24	116
12 30	127
12 36	139
12 42	150
12 48	162
12 54	173
12 60	185
12 66	196
12 72	208
18 24	145
18 30	162
18 36	180
18 42	196
18 48	214
18 54	231
18 60	249
18 66	266
18 72	284
24 24	168
24 30	191
24 36	214
24 42	237
24 48	260

### How to Order

	AB		SN WH BL (std)
Series	Dimensions	Product	Metal finish
XT		MBP	


**Example** XT 1824 MBP BL

# Panel Accessories



## Transaction Shelf

### SHP



### Manufacturing Standards

- Transaction shelf with:
- 1" laminate;
  - 2 "L" brackets included;
  - To install on dividing panels or power walls;
  - 2 brackets when less than 42", 3 brackets when 42" and more.

### Prices

Dimensions		
A	B	C
12 24		99
12 30		104
12 36		110
12 42		116
12 48		122
12 54		133
12 60		145
12 66		156
12 72		168

### How to Order

AB		
XT		SHP
Series	Dimensions	Product


**Example** **XT** 1224 **SHP**




# Panel Accessories

## Metal Planter Box

### LPLANTS



### LPLANTP



Dividing panel



Power wall

### Manufacturing Standards

Metal Planter Box:

- Dimensions: 8 x 30 x 6 H
- LPLANTS: Set-on surface
- LPLANTP: Rests on dividing panel

### Prices

Code	
LPLANTS	411
LPLANTP	434

### How to Order

LPLANTS	SN
LPLANTP	WH
	<b>BL (std)</b>
<input type="text"/>	<input type="text"/>
Product	Metal finish


**Example** LPLANTP BL

# Panel Accessories



## Acrylic divider on panel

### EAS



### Manufacturing Standards

- Acrylic divider on panel:
- Acrylic panel with metal finish of your choice extrusion;
  - Fixed on edge.

*Dimension "B" allows the installation of panel accessories in combination with the divider.*

*Metal extrusion is 4" shorter than acrylic panel*

### Prices

Dimensions	
A	B
06 22	168
06 28	196
06 34	226
06 40	249
06 46	272
06 52	289
06 58	295
06 64	300
06 70	307

### How to Order

	AB		SN WH BL (std)
XT		EAS	
Series	Dimensions	Product	Metal finish


**Example** XT 0622 EAS BL

# Panel Accessories



## Hexagonal felt tile

### ATF01



### Manufacturing Standards

Hexagonal felt tile:

- Accoustical adhesive felt tile 10-3/8" x 12".

**Important:** Item is too thin to be used as tackboard.

**Felt colors:** Blue **BL**, Light Grey **LG**, Dark Grey **DG**.

### Prices

Code	
ATF01 LG	61
ATF01 DG	61
ATF01 BL	61

### How to Order


ATF01	BL LG DG
Product	Felt color

**Example** ATF01 BL

# Panel Accessories

## Stabilizing Laminate Corner

MTC



### Manufacturing Standards

Laminate triangle corner with:

- 1" laminate panel;
- Mounting hardware;
- Made for situations where no items are panel mounted;
- Maximum load: 25lbs.

### Prices

Dimensions

A	B
12	12
	56


### How to Order

XT	12 12	MTC
Series	Dimensions	Product

**Example** XT 1212 MTC

## Sound absorbing overhead screen - 1-sided

### OHSS



### Manufacturing Standards

Sound absorbing overhead screen - 1 sided:

- Total height of 18", exceeds 15" from the wall;
- 100% PET (min, 50% recycled content);
- 12 mm material;
- 15 finishes available;
- No hardware assembly;
- Fully tackable surface;
- Sound absorption characteristics:  
NRC: 0.80  
SAA: 0.80  
ASTM C423

**Ezobord Colors:** Bold Gray **BG07**, Green Moss **MG10**.

For more colors, see [Appendix A](#). Note that you must order 6 or more to access the other colors.

### Prices

Dimensions	
A	
30	953
36	953

### How to Order


OHSS		
Product	Dimensions	Finishes <a href="#">see appendix A</a>

**Example** OHSS 30 BG07

# Panel Accessories

## Sound absorbing overhead screen - 2-sided

### OHSD



### Manufacturing Standards

Sound absorbing overhead screen - 2 sided:

- Total height of 18", exceeds 15" from the wall;
- 100% PET (min, 50% recycled content);
- 12 mm material;
- 15 finishes available;
- No hardware assembly;
- Fully tackable surface;
- Sound absorption characteristics:  
NRC: 0.80  
SAA: 0.80  
ASTM C423

**Ezobord Colors:** Bold Gray **BG07**, Green Moss **MG10**.

For more colors, see [Appendix A](#). Note that you must order 6 or more to access the other colors.

### Prices

Dimensions	
A	
30	1127
36	1127

### How to Order


OHSD		
Product	Dimensions	Finishes <a href="#">see appendix A</a>

**Example** OHSD 30 BG07

# Panel Accessories

## Laminate Cover

### CTCOVER



### Manufacturing Standards

Laminate cover:

- Laminate cover for cable tray;
- Mounting brackets;
- Dimension "B" is 1/4" recessed.

### Prices

Dimensions	
A	B
06 30	53
06 36	58
06 42	64
06 48	69
06 54	76
06 60	81
06 66	87
06 72	92
06 78	99
06 84	104

### How to Order

	AB	CTCOVER
XT		
Series	Dimensions	

**Example** XT 0630 CTCOVER






# Surfaces


## Rectangular surface 15" & 20"D

### TOP



### Options

1½" space for wiring



### How to Order

XT	AB	TOP	SP3 SPL SPLR SPR SPFR SPF SPFL <b>SPN (std)</b>
Series	Dimensions	Product	Space 1½" for wiring

**Example** XT 1524 TOP SPN

### Manufacturing Standards

Rectangular surface:

- 1" laminate surface;
- Hardware sold separately;
- Wiring space is removed from the overall dimension.

No machining.

**Support:** Legs, cantilever and independent storage are sold separately.

**Maximum distance between two supports:** 42".


**Stiffener:** The use of stiffeners is necessary for surfaces of 54" and more. It is used for the part of the surface not supported by a pedestal.

### Prices

Dimensions	
A	B
15 24	99
15 30	99
15 36	99
15 42	102
15 48	116
15 54	130
15 60	145
15 66	160
15 72	173
15 78	188
15 84	203
<hr/>	
20 16	99
20 24	99
20 30	100
20 36	116
20 42	135
20 48	153
20 54	173
20 60	193
20 66	211
20 72	231
20 78	251
20 84	269


## Rectangular surface 24", 30" & 36"D (following)

### TOP



### Options

1½" space for wiring



### How to Order

XT	AB	TOP	SP3 SPL SPLR SPR SPFR SPF SPFL <b>SPN (std)</b>
Series	Dimensions	Product	Space 1½" for wiring

**Example** XT 2430 TOP SPN

### Manufacturing Standards

Rectangular surface:

- 1" laminate surface;
- Hardware sold separately;
- Wiring space is removed from the overall dimension.

No machining.

**Support:** Legs, cantilever and independent storage are sold separately.

**Maximum distance between two supports:** 42".

**Stiffener:** The use of stiffeners is necessary for surfaces of 54" and more. It is used for the part of the surface not supported by a pedestal.

### Prices


Dimensions		
A	B	
24	30	116
24	36	139
24	42	162
24	48	185
24	54	208
24	60	231
24	66	254
24	72	277
24	78	300
24	84	323
<hr/>		
30	54	260
30	60	289
30	66	318
30	72	347
30	78	376
30	84	404
<hr/>		
36	54	328
36	60	364
36	66	401
36	72	437
36	78	474
36	84	509

# Surfaces



## D surface

### DTOP



### Manufacturing Standards

- D surface:
- 1" laminate;
  - Hardware sold separately: See the support and modesty section. An independent pedestal can also be used;
  - Wiring space is removed from the overall dimension.

No machining.


**Support:** Legs, cantilever and independent storage are sold separately.

**Maximum distance between two supports:** 42".

**Stiffener:** The use of stiffeners is necessary for surfaces of 54" and more. It is used for the part of the surface not supported by a pedestal.

### Options

1½" space for wiring



### Prices

Dimensions		
A	B	
24	54	260
24	60	289
24	66	318
24	72	347
24	78	376
24	84	404
30	54	324
30	60	361
30	66	397
30	72	434
30	78	469
30	84	506
36	54	391
36	60	434
36	66	477
36	72	520
36	78	564
36	84	607

### How to Order


XT	AB	DTOP	SPF SPS SPFS SPN (std)
Series	Dimensions	Product	Space 1½" for wiring

**Example** XT 2454 DTOP SPN


# Surfaces

## Collaboration surface

### COLTOP



### CORTOP



### Manufacturing Standards

Collaboration surface:

- 1" laminate;
- Angle: 135
- Hardware sold separately;
- Wiring space is removed from the overall dimension.

Overall dimensions :

- 30 54 30 : 43"D x 75-3/4"W
- 30 60 36 : 47-1/4"D x 86"W
- 30 66 36 : 47-1/4"D x 92"W

No machining.


**Support:** Legs, cantilever and independent storage are sold separately.

**Maximum distance between two supports:** 42".

**Stiffener:** The use of stiffeners is necessary for surfaces of 54" and more. It is used for the part of the surface not supported by a pedestal.

### Options

1½" space for wiring



SP\_ \$0

### Prices

Dimensions		
A	B	C
30 54 30		655
30 60 36		828
30 66 36		885

### How to Order


XT	ABC	COLTOP CORTOP	SPF SPS SPFS <b>SPN (std)</b>
Series	Dimensions	Product	Space 1½" for wiring

**Example** XT 305430 COLTOP SPN



## Privacy corner screen

### FSFD



### Manufacturing Standards

- Privacy Corner Screen
- 7/8" thick plywood panel, upholstered;
  - With decorative piping;
  - Set-on surface;
  - Panel / tackboard fabrics not recommended;
  - Dimensions: 18" x 19-1/2".

*Cannot be used as a tackboard*

### Prices

	GRA	GR1	COM GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12
FSFD	429	454	487	520	561	603	644	685	726	768	809	891	974

### How to Order

FSFD

Product      Fabrics  
see appendix A


**Example**      FSFD      TBFRME



# Supports

## End leg

### ENDLEG



### Manufacturing Standards

- End Leg:
- 1" Laminate;
  - 4 mounting brackets;
  - White nylon levelers;
  - Height: 28"H.

### Prices

Dimensions	
A	B
20	28
24	28
30	28
36	28

### How to Order


AB		
XT		ENDLEG
Series	Dimensions	Product

**Example** XT 2028 ENDLEG

# Supports

## Middle leg

### MIDLEG



### Manufacturing Standards

- Middle leg:
- 1" laminate with space for wiring;
  - 4 mounting brackets;
  - White nylon levelers;
  - Height: 28"H.

### Prices

Dimensions	
A	B
12 28	159

### How to Order

AB		
XT		MIDLEG
Series	Dimensions	Product
XT	1228	MIDLEG


**Example** XT 1228 MIDLEG




# Supports

## Legs

### RAW



### RA2



### HATLEY



### Manufacturing Standards

#### RAW:

- Base in metal, finish: Satin Nickel (SN), White (WH) and Black (BL);
- Wood insert (18");
- White nylon levelers;
- Height: 28".

#### RA2:


- Set of 2 angled rectangular metal legs;
- Dimensions: 2" x 1";
- Finish: Satin Nickel (SN) and Black (BL);
- Height: 28".

#### HATLEY:

- Set of two 28" tapered legs with wood insert;
- 4" x 4" end plate;
- Finish: Satin Nickel (SN), Chrome (CHR) and Black (BL);
- Height: 28".

For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.

**Available colors for wood (RAW & HATLEY):** White Wash WW, Golden Wheat GW, Sand SD, Apricot AT, Pecan PN, Brandy BR, Chestnut CT, Coffee CF, Espresso ES, Bordeaux BO, Black Wash BW and Bark BK



### Prices

Code	
RAWBL	181
RAWSN	181
RAWWH	181
Code	
RA2SN	188
RA2BL	188
RA2WH	188
Code	
HATSN	329
HATCHR	329
HATBL	329


### How to Order

RAW			RA2			HAT		
Product	Metal	wood color	Product	Metal	wood color	Product	Metal	wood color
RAW	WH SN BL (std)	Finishes See the Logiflex Color Guide	RA2	WH SN BL		HAT	CHR SN BL	Finishes See the Logiflex Color Guide
<b>Example</b>	RAW	BL	<b>Example</b>	RA2	BL	<b>Example</b>	HAT	BL
		GW						GW


# Supports

## Legs

4.5



IFN



### Manufacturing Standards

4.5:

- Fixed round metal leg / on leveler;
- 4-1/2" diameter;
- 6" x 6" end plate;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".

IFN:

- Fixed round metal leg / on leveler;
- 2-1/2" diameter;
- 3-3/4" x 3-3/4" end plate screwed to the leg;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 27-1/2".

### Prices



Code

4.5BL	254
4.5SN	254

Code

IFNBL	89
IFNSN	89

### How to Order




**Example** 4.5 BL

**Example** IFN BL


# Supports

## Legs

### LENNOX



### MAGOG



### Manufacturing Standards

#### LENNOX:

- Fixed Lennox leg;
- Base: 18";
- 8" x 8" end plate;
- Finish: Satin Nickel (SN), Black (BL) and Chrome (CHR);
- Height: 28".

#### MAGOG:

- Fixed Magog leg;
- Base: 18";
- 8" x 8" end plate;
- Finish: Satin Nickel (SN), Black (BL) and Chrome (CHR);
- Height: 28".

For stability reasons, please check with your account manager the dimensions of your furniture when ordering this leg separately from the surface.

### Prices

Code	
LENSN	571
LENBL	571
LENCHR	1166
LENWH	571

Code	
MAGSN	571
MAGBL	571
MAGCHR	1166
MAGWH	571

### How to Order

LEN	WH CHR BL SN
Product	Metal

MAG	WH CHR BL SN
Product	Metal


**Example** LEN BL

**Example** MAG BL


# Supports

## Legs

PATTEC30



PATTEC36



### Manufacturing Standards

#### C Metal Leg:

- Base in metal, Black (BL);
- White nylon levelers;
- Height: 28"H;
- 1 ½" space for wiring with top is not compatible.

### Prices

Code	
PATTEC30	316
PATTEC36	358

### How to Order


PATTEC30	WH
PATTEC36	SN
	BL (std)
<input type="text"/>	<input type="text"/>
Product	Metal

**Example** PATTEC30 BL

# Supports

## Layering Desk Supports

### DRSUP




### Manufacturing Standards

#### Layering desk:

- Drawer and front 5/8" laminate;
- Frame 1" laminate;
- Mounting brackets, screws and double-sided tape included;
- Height: 3"H.
- Interior dimensions of the drawer:  
11-11/16" width x 9-3/8" depth x 2-1/2" height.

**Support for high cabinets:** This product is used to support the surface on a high cabinet 25"H.

### Color Combination



Front

Base

### Prices

Dimensions	
A	B
14	16
20	16
26	16

### How to Order


	AB	H071BL (std)	
Series	Dimensions	Product	Handle
<b>Example</b>	<b>XT</b>	1416	DRSUP H071BL

# Supports



## T-Support

### TSUP



### Manufacturing Standards

T-Support:

- 1" laminate;
- Mounting brackets, screws and double-sided tape included;
- Height: 3"H;
- Dimensions recommendations:
  - A 18 B 12 for 24" surface
  - A 26 B 12 for 30" surface
  - A 32 B 12 for 36" surface

**Support for high cabinets:** This product is used to support the surface on a high cabinet 25"H.

### Prices

Dimensions	
A	B
18 12	99
26 12	99
32 12	99

### How to Order

AB		
XT		TSUP
Series	Dimensions	Product

**Example**

XT	1812	TSUP
----	------	------




# Supports

## Cantilever support with space for cable tray

CNT01

CNT02

CNT03



### Manufacturing Standards

Cantilever support with space for cable tray:

- Metal support, Satin Nickel finish;
- Without pointing for assembly;
- Height: 8"H.

Dimensions :

CNT01 : 16.5", for 20"D surface

CNT02 : 20.5", for 24"D and 30"D surface

CNT03 : 27", for 36"D surface

To help installation, order IGS.

*Work surface support.*

Refer to [Appendix H](#) for specification rules.

Compatible with CT24 and CT118 cable tray.

### Prices

Code	
CNT01	56
CNT02	61
CNT03	68

### How to Order

CNT01  
CNT02  
CNT03

	SN
--	----

Product      Metal



**Example**    CNT01    SN

# Supports

## Slender cantilever support

CNTC01

CNTC02



### Manufacturing Standards

Cantilever support without reinforcement bar:

- Metal support;
- Without pointing for assembly;
- Height: 6"H.

Dimensions :

CNTC01 : 6", for surfaces less than 30"

CNTC02 : 16", for surfaces 30" and more

*Work surface support.  
Refer to [Appendix H](#) for specification rules.*

*To be used at the end of a surface when there is no electrical management.*

### Prices

Code	
CNTC01	25
CNTC02	34

### How to Order

CNTC01	WH
CNTC02	BL
	<b>SN (std)</b>
<input type="text"/>	<input type="text"/>
Product	Metal


**Example** CNTC01 SN



# Supports

## Shelf Support

CNTSH



### Manufacturing Standards

Shelf Support:

- Metal, finishes: Satin Nickel (SN), Black (BL) or White (WH);
- with hook at the base of the support;
- without pointing for assembly;
- For surface with a depth of 15";
- Support dimensions: 9"x9".

### Prices

Code	
CNTSH SN	76
CNTSH BL	76
CNTSH WH	76

### How to Order


CNTSH	WH BL SN
Product	Metal

**Example** CNTSH SN

# Supports

## Stiffener

RSTF



### Manufacturing Standards

Stiffener:

- Metal, Satin Nickel finish;
- Suggested for work surfaces 54" or more;
- Installation hardware included.

### Prices

Dimensions	
A	
40	93
46	93
52	93
58	93
64	93
70	93

### How to Order

	A
RSTF	


Product    Dimensions

**Example**    RSTF    40

# Supports

## Flush Plates

FP2BL



### Manufacturing Standards

- 2 Flush Plates with Screws:
- Metal support, Black finish;
  - Without pointing for assembly.

*Work surface support.*

*Refer to [Appendix H](#) for specification rules.*

### Prices

Code

FP2BL

15

### How to Order

FP2BL

Product


**Example** FP2BL




# Independant Pedestals

## Independant E pedestal


EIND



### Color Combinaison



### Depth of Leg



### Manufacturing Standards

- Independant pedestal with 2 utility drawers and file drawer:
- Pedestal without top;
  - 2-3/8" back and sides recess for wire management;
  - Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
  - 14-3/32"H opening in the back;
  - White nylon levelers;
  - Handles H071BL;
  - Lock;
  - Height: 28"H.
- Attention: This pedestal is designed for use under a work surface or a return. A fitted surface - 16" wide - is not possible due to the width of the pedestal (16 1/16").

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).

### Prices

Dimensions	
A	
20	932
24	944
30	956


### How to Order

XT	EIND	A	R L LR N (std)	H071BL (std)	N LKSN LKBL (std)
Series	Product	Depth	Full depth placket	Handle	Lock
<b>Example</b> XT	EIND	20	N	H071BL	LKBL


# Independant Pedestals

## Independant F pedestal


FIND



### Color Combainson



### Depth of Leg



### Manufacturing Standards

Independant pedestal with 2 file drawers:

- Pedestal without top;
- 2-1/2" back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32"H opening in the back;
- White nylon levelers;
- Handles H071BL;
- Lock;
- Height: 28"H.
- Attention: This pedestal is designed for use under a work surface or a return. A fitted surface - 16" wide - is not possible due to the width of the pedestal (16 1/16").

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).

### Prices

Dimensions	
A	
20	916
24	927
30	939


### How to Order

XT	FIND	A	R L LR N (std)	H071BL (std)	N LKSN LKBL (std)
Series	Product	Depth	Full depth placket	Handle	Lock
<b>Example</b> XT	FIND	20	N	H071BL	LKBL

# Independant Pedestals

## Independant pedestal with 1 pigeonhole, 1 utility drawer Pedestal without top

### PGDIND



### Manufacturing Standards


- Independant pedestal with 1 pigeonhole, 1 utility drawer Pedestal without top;
- Pedestal without top;
  - Pigeonhole height: 6-1/8;
  - 2-1/2" back and sides recess for wire management;
  - Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
  - 14-3/32"H opening in the back;
  - White nylon levelers;
  - Handles H071BL;
  - Lock;
  - Height: 28"H.
- Attention: This pedestal is designed for use under a work surface or a return. A fitted surface - 16" wide - is not possible due to the width of the pedestal (16 1/16").

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).


### Color Combinaison



Front

Base

### Depth of Leg



(std)

N

LR

R

L

### Prices

Dimensions	
A	
20	932
24	944
30	956


### How to Order

Series	Product	Depth	Full depth packet	Handle	Lock
XT	PGDIND	A	R L LR N (std)	H071BL (std)	N LKSN LKBL (std)
<b>Example</b>	<b>XT</b>	<b>PGDIND</b>	<b>20</b>	<b>H071BL</b>	<b>LKBL</b>


# Independant Pedestals

## Independant cabinet with 1 utility drawer and 1 open space


### UOIND



#### Color Combaision



#### Depth of Leg



### Manufacturing Standards

- Independant cabinet with 1 utility drawer and 1 open space:
- Pedestal without top;
  - Height of open space: 19-3/4"H;
  - 2-1/2" back and sides recess for wire management;
  - Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
  - 14-3/32"H opening in the back, concealed with a removable panel;
  - White nylon levelers;
  - Handles H071BL;
  - Lock;
  - Height: 28"H.
- Attention: This pedestal is designed for use under a work surface or a return. A fitted surface - 16" wide - is not possible due to the width of the pedestal (16 1/16").

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).

### Prices

Dimensions	
A	
20	734
24	792
30	849

### How to Order

Series	Product	Depth	Full depth placket	Handle	Lock
<b>Example</b> XT	UOIND	20	N	H071BL	LKBL





# Independant Pedestals


## Independant cabinet with 1 door

### ARLIND


### ARRIND



#### Color Combinaison



#### Depth of Leg



### Manufacturing Standards

Independant cabinet:

- Cabinet without top;
- 2-3/8" back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32"H opening in the back, concealed with a removable panel;
- White nylon levelers;
- Handles H071BL;
- Lock;
- Height: 28"H;
- Adjustable shelf.
- Attention: This pedestal is designed for use under a work surface or a return. A fitted surface - 16" wide - is not possible due to the width of the pedestal (16 1/16").

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).

### Prices

Dimensions	
A	
20	670
24	728
30	785


### How to Order

	ARLIND ARRIND	A	R L LR N (STD)	H071BL (std)	N LKSN LKBL (STD)
Series	XT				
Product	ARLIND				
Depth		20			
Full depth placket			N		
Handle				H071BL	
Lock					LKBL


# Independant Pedestals

## Independant cabinet with two doors


### ARIND



#### Color Combainson



#### Depth of Leg



### Manufacturing Standards

Independant cabinet with two doors:

- Cabinet without top;
- 1 adjustable shelf;
- 2-3/8" back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32"H opening in the back, concealed with a removable panel;
- White nylon levelers;
- Handles H071BL;
- Lock;
- Height: 28"H.

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).

### Prices

Dimensions	
A	B
20 24	810
20 30	865
20 36	903
20 42	939
24 24	833
24 30	888
24 36	926
24 42	962


### How to Order

XT	A	B	ARIND	R L LR N (std)	H071BL (std)	N LKSN LKBL (std)
Series	Depth	Width	Product	Full depth placket	Handle	Lock
<b>Example XT</b>	20	24	ARIND	N	H071BL	LKBL


# Independant Pedestals

## Independant bookcase


### BBLIND



#### Color Combaision



#### Depth of Leg



### Manufacturing Standards

Independant bookcase:

- Bookcase without top;
- 1 adjustable shelf, 1" thick;
- 2-3/8" back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32"H opening in the back, concealed with a removable panel;
- White nylon levelers;
- Height: 28"H.

To use with power walls and division panels.

### Prices

Dimensions	
A	B
20 16	612
20 24	670
24 16	670
24 24	728
30 16	728
30 24	785

### How to Order


XT	A	B	BBLIND	R L LR N (std)
Series	Depth	Width	Product	Full depth placket

**Example** XT 20 16 BBLIND N


# Independant Pedestals

## Independant lateral Filing cabinet


CLIND



### Color Combainson



### Depth of Leg



### Manufacturing Standards

Independant Lateral Filing cabinet:

- Cabinet without top;
- 2 lateral filing drawers;
- 2 crossbars per file drawer;
- 2-3/8" back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 14-3/32"H opening in the back;
- White nylon levelers;
- Handles H071BL;
- Lock;

To use with power walls and division panels.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).

### Prices

Dimensions	
A	B
20 30	1013
20 36	1098
20 42	1180
<hr/>	
24 30	1036
24 36	1121
24 42	1203

### How to Order


XT	A	B	CLIND	R L LR N (STD)	H071BL (std)	N LKSN LKBL (std)
Series	Depth	Width	Product	Full depth placket	Handle	Lock
<b>Example XT</b>	20	30	CLIND	N	H071BL	LKBL

# Mobile pedestal




## Mobile pedestal with cabinet

### MOBARL



### MOBARR



### Manufacturing Standards

Mobile pedestal with 1-door cabinet:

- 1 storage on top;
- 4 black locking casters;
- Handle H071BL;
- Lock;
- Height: 20"H;
- 1 adjustable shelf.


Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).

### Prices

Dimensions		
A	B	C
16	10	20
678		
16	16	20
690		

### Color Combination



Top

Shelf

Front

Base

### How to Order


	AB	MOBARL MOBARR	H071BL (std)	N LKSN LKBL (std)
Series	Dimensions	Product	Handle	Lock
<b>Example</b> XT	1610	MOBARL	H071BL	LKBL

# Mobile pedestal



## Mobile pedestal with 1 fixed shelf and 1 utility drawer

### MOBSPU



### Manufacturing Standards


Mobile pedestal with 1 fixed shelf and 1 utility drawer at the bottom:

- 1 storage space on top (2"H);
- 1 utility drawer at the bottom;
- 4 black casters with lock;
- Handle H071BL;
- Lock;
- Height: 20"H.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).

### Color Combination



Top

Shelf

Front

Base

### Prices

Dimensions		
A	B	C
16	10	20
16	16	20

### How to Order



Series	Dimensions	Product	Handle	Lock
<b>Example</b> XT	1610	MOBSPU	H071BL	LKBL

# High Pedestals


## High Pedestals

OK25

KO25



### Color Combination




Top

Front

Shelf

Base

### Depth of Leg



(std)

N

\$0

LR

\$0

R

\$0

L

\$0

### Manufacturing Standards

#### High Pedestal:

- 1 open storage with 1 adjustable shelf;
- A section with 1 utility drawer with integrated dividers and 1 lateral file drawer.
- 2-3/8" back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 12.5"H opening in the back, concealed with a removable panel on bookcase side;
- White nylon levelers;
- H071BL Handles;
- Lock;
- Height: 25"H.


**For wire access:** Removable back on bookcase side and opening on cabinet side.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).

### Options


#### Surface 1½" for wiring



SP\_

\$0

### Cushion



60"

72"

60"

72"

Cushion Left

Cushion Right

GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	leather
\$333	\$345	\$362	\$378	\$399	\$419	\$440	\$461	\$481	\$502	\$522	\$564	\$605	\$571
\$333	\$345	\$362	\$378	\$399	\$419	\$440	\$461	\$481	\$502	\$522	\$564	\$605	\$571

### Prices

#### Dimensions

A	B	C
20	60	25
20	72	25

1675

1756

### How to Order



XT	AB	OK25 KO25	SPF SPN (std)	R L LR N (std)	CL CR N (std)	H071BL (std)	N LKS N LKBL (std)
Series	Dimensions	Product	Area Space 1½" for wiring	Full depth packet	Cushion	Handle	Lock
<b>Example</b>	<b>XT</b>	2060	OK25	SPN	N	N	H071BL
							LKBL

# High Pedestals


## High Pedestals

OAR25


ARO25



### Color Combination



### Depth of Leg



### Manufacturing Standards

#### High Pedestal:

- An open storage with 1 adjustable shelf;
- A 2-door cabinet section with 1 adjustable shelf;
- 2-3/8" back and sides recess for wire management;
- Fix to the panel using L bracket. The positioning brackets on the back allow you to leave a 2-3/8" wiring space and to attach the pedestal to the division panels or to the low walls.
- 12.5"H opening in the back, concealed with a removable panel on bookcase side and cabinet side;
- White nylon levelers;
- H071BL Handles;
- Lock;
- Height: 25"H.


**For wire access:** Removable back on bookcase side and opening on the armory section.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).


### Options

#### Surface 1 1/2" for wiring



SP\_ \$0

### Cushion



Cushion Left    Cushion Right

GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	leather
\$333	\$345	\$362	\$378	\$399	\$419	\$440	\$461	\$481	\$502	\$522	\$564	\$605	\$571
\$333	\$345	\$362	\$378	\$399	\$419	\$440	\$461	\$481	\$502	\$522	\$564	\$605	\$571

### Prices

Dimensions		
A	B	C
20	60	25
1523		
20	72	25
1617		

### How to Order

XT	AB	OAR25 ARO25	SPF SPN (std)	R L LR N (std)	CL CR N (std)	H071BL (std)	N LKS LKBL (std)	
Series	Dimensions	Product	Area Space 1 1/2" for wiring	Full depth packet	Cushion	Handle	Lock	
<b>Example</b>	<b>XT</b>	2060	OAR25	SPN	N	N	H071BL	LKBL





# Benches

## Benches with open storage

BO


B00



### Manufacturing Standards

- Bench with open storage:
- 1" laminate frame with full back;
  - 1-1/2"H Full cushion;
  - Open storage with interior space 18" x 16";
  - White nylon levelers.

### Color Combinaison



### Prices

#### BO

Dimensions			COM												Cuir	
A	B	C	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Leather
20	18	19	417	434	456	478	506	533	561	588	616	643	671	726	781	735

#### B00

Dimensions			COM												Cuir	
A	B	C	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Leather
20	42	19	678	703	736	769	810	852	893	934	975	1017	1058	1140	1223	1154

### How to Order

XT	AB	BO B00
Series	Dimensions	Product



Example **XT** 2018 BO

# Benches

## Benches with file drawer

BF

BFF




### Manufacturing Standards

- Bench with open storage:
- 1" laminate frame with full back;
  - 1-1/2"H Full cushion;
  - 18"W: 1 file drawer (BF);
  - 42"W: 2 file drawers (BFF);
  - Handle H071BL;
  - White nylon levelers;
  - Lock.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).

### Color Combination



Top

Front

Base

### Prices

BF

Dimensions			COM												Cuir	Leather	
A	B	C	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12		
20	18	19	625	642	664	686	714	741	769	796	824	851	879	934	989		943


BFF

Dimensions			COM												Cuir	Leather	
A	B	C	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12		
20	42	19	1105	1130	1163	1196	1237	1279	1320	1361	1402	1444	1485	1567	1650		1581

### How to Order


XT	AB	BF BFF	H071BL (std)	N LKSN LKBL (std)	
Series	Dimensions	Product	Handle	Lock	
<b>Example</b>	<b>XT</b>	2018	BF	H071BL	LKBL

# Benches



## Bottomless open benches

### BLEO




**Manufacturing Standards**

Bottomless open bench:

- 1" laminate frame with full back;
- 1-1/2"H Full cushion;
- Bottomless open storage with interior space 19-15/32" x 19-15/32";
- White nylon levelers;
- For storage of LEO18 bench.

*Compatible with LEO18 and LEOC18 benches.*

### Color Combinaison



**Prices**

**BLEO**

Dimensions			COM												Cuir	
A	B	C	GRA	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	Leather
20	42	19	531	556	589	622	663	705	746	787	828	870	911	993	1076	1007

## How to Order

	AB	BLEO
XT		
Series	Dimensions	Product

**Example** XT 2042 BLEO





# Storage towers


## Sliding storage

SL01L

SL01R



### Color Combination



### Manufacturing Standards

Sliding storage:


- 1 cloakroom section with 1 fixed shelf and a hook;
- 1 storage section with 1 fixed shelf and:
  - 42"H : 1 adjustable shelf
  - 54"H : 2 adjustable shelves
- Removable panel at the back for wire access. There is no removable back if the tab notch option is chosen;
- Unit on slides and casters, with soft close system;
- Handle H071BL;
- Lock;
- White nylon levelers.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).


### Options

#### Tab with notch for wire management



MG\_ \$0 MGN \$0

#### Cutouts for socket (plug not included)



P1 \$0

### Prices

#### Dimensions

A	B	C
30	12	42
30	12	54

### How to Order



Series	Dimensions	Product	Tab with notch for wire management	Cutout for socket	Handle	Lock	
Example	XT	301242	SL01L	MGN	N	H071BL	LKBL

# Storage towers


## Cabinet with coat hook

ARHL

ARHR



### Color Combinaison



### Manufacturing Standards

Cabinet with coat hook:


- Cabinet with 1 door;
- 2 adjustable shelves 42"H;
- 3 adjustable shelves 54"H;
- Coat hook on cabinet door;
- Ventilation grill at the bottom;
- Handle H071BL;
- Lock;
- White nylon levelers;
- Space of 10-1/4" in front of the adjustable shelves for a mantel. (For the 2 depths, the shelves change in depth).

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).

### Options

#### Tab with notch for wire management



MG\_ \$0

MGN \$0

### Prices

Dimensions		
A	B	C
20	18	42
24	18	42
20	18	54
24	18	54



### How to Order

XT	ABC	ARHL ARHR	MGR MGLR MGRR <b>MGN (std)</b>	H071BL (std)	N LKSN LKBL (std)
Series	Dimensions	Product	Tab with notch for wire management	Handle	Lock
<b>Example XT</b>	201842	ARHL	MGN	H071BL	LKBL

# Storage towers

## Bookcase with drawers

### BBUF



### Manufacturing Standards

Bookcase with drawers:


- Open storage with 1 adjustable shelf for the 42"H cabinet, 2 adjustable shelves for the 54"H cabinet;
- 1 utility drawer;
- 1 lateral file drawer;
- Handles H071BL;
- Lock.
- White nylon levelers.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).

### Options

#### Tab with notch for wire management



**MG\_**  
\$0

**MGN**  
\$0

### Prices

Dimensions		
A	B	C
20	18 42	1338
24	18 42	1371
<hr/>		
20	18 54	1365
24	18 54	1399

### How to Order



XT	ABC	BBUF	MGR MGLR MGRR <b>MGN (std)</b>	H071BL (std)	N LKSN <b>LKBL (std)</b>
Series	Dimensions	Product	Tab with notch for wire management	Handle	Lock
<b>Example XT</b>	201842	BBUF	MGN	H071BL	LKBL

# Storage towers


## Cabinet with drawers

ARUFL

ARUFR



### Color Combinaison



### Manufacturing Standards


- Cabinet with 1 door, 1 utility drawer and 1 lateral file drawer:
- 1 cabinet section with 1 adjustable shelf for the 42"H cabinet with drawers, 2 adjustable shelves for the 54"H cabinet with drawers;
  - 1 utility drawer;
  - 1 lateral file drawer;
  - Handles H071BL;
  - Lock;
  - White nylon levelers.

Remove lock as option, no extra charge.

Specify if different handle desired (no extra charge, [see p. 94](#)).

### Options

#### Tab with notch for wire management



MG\_ \$0

MGN \$0

### Prices

Dimensions		
A	B	C
20	18	42
24	18	42
20	18	54
24	18	54

### How to Order

XT	ABC	ARUFL ARUFR	MGR MGLR MGRR <b>MGN (std)</b>	<b>H071BL (std)</b>	N LKSN <b>LKBL (std)</b>
Series	Dimensions	Product	Tab with notch for wire management	Handle	Lock
<b>Example XT</b>	201842	ARUFR	MGN	H071BL	LKBL







# Islands Stations

## Island station

USF



### Color Combinaison



### Manufacturing Standards

Island station :

- 1" laminate frame;
- Removable end panels for wire management;
- White nylon levelers;

#### Options :

Outdoor shelf height: 29" (Island Station 36"H & 42"H), 42" (Island Station 54"H).


Outdoor shelf depth: 15".

Cutouts for socket: 2 by side.

For outlet, please refer to the [Accessory](#) section.


### Options

#### Cutouts for socket (plug not included)



PL \$0 PR \$0 PLR \$0

#### Shelf



L \$179 LR \$358 R \$179

### Prices


Dimensions			
A	B	C	
15	30	36	792
15	36	36	820
15	42	36	843
15	30	42	820
15	36	42	843
15	30	54	866
15	36	54	889

### How to Order


XT	ABC	USF	PL PR PLR N (std)	L R LR N (std)	WH SN BL (std)	
Series	Dimensions	Product	Cutout for socket	Shelf	Metal	
<b>Example</b>	<b>XT</b>	153036	USF	N	N	BL

## Island station with Bookcase - 1 side

### USBB



### Color Combinaison



### Manufacturing Standards

- Island Station with Bookcase - 1 side
- 1" laminate frame;
  - Bookcase on 1 side with:
    - 36"H: 2 open spaces 13 1/4"H (int.)
    - 42"H: 2 open spaces 16 1/4"H (int.)
    - 54"H: 3 open spaces 14 1/2"H (int.)
  - Interior fixed shelves, not full depth;
  - Removable end panel for wire management;
  - White nylon levelers.

### Options :

Outdoor shelf height: 29" (Island Station 36"H & 42"H), 42" (Island Station 54"H).


Outdoor shelf depth: 15".

Cutouts for socket: 1 by side.

For outlet, please refer to the [Accessory](#) section.


### Options

#### Cutouts for socket (plug not included)



PL \$0
PR \$0
PLR \$0

#### Shelf



L \$179
LR \$358
R \$179

### Prices

Dimensions			Interior depth shelf:
A	B	C	
15	30	36	792 18 5/8"
15	36	36	820 21 5/8"
15	42	36	843 24 5/8"
<hr/>			
15	30	42	820 18 5/8"
15	36	42	843 21 5/8"
<hr/>			
15	30	54	866 18 5/8"
15	36	54	889 21 5/8"

### How to Order




XT	ABC	USBB	PL PR PLR N (std)	L R LR N (std)	WH SN BL (std)
Series	Dimensions	Product	Cutout for socket	Shelf	Metal
<b>Example XT</b>	153036	USBB	N	N	BL

# Islands Stations


## Island station with lockers - 1 side

**USLOR**

**USLOL**



### Color Combination



### Manufacturing Standards

Island Station with lockers - 1 side:

- 1" laminate frame;
- XY'D Lockers on 1 side with:
  - 36"H: 2 open spaces 13 1/4"H (int.)
  - 42"H: 2 open spaces 16 1/4"H (int.)
  - 54"H: 3 open spaces 14 1/2"H (int.)
- Doors with key locks and push-to-open latch;
- Removable end panel for wire management;
- White nylon levelers;
- Interior shelves not full depth.
- Locker interior dimension:
  - 30"H: 18 5/16" (int.)
  - 36"H: 21 5/16" (int.)
  - 42"H: 24 5/16" (int.)



### Options :

Outdoor half height: 29" (Island Station 36"H & 42"H), 42" (Island Station 54"H).


Outdoor shelf depth: 15".

Cutouts for socket: 1 by side.

For outlet, please refer to the [Accessory](#) section.


### Options

#### Lock




**E1** \$260 ea. **E2** \$156 ea. **CMI K** \$0

#### Cutouts for socket (plug not included)



**PL** \$0 **PR** \$0 **PLR** \$0

#### Shelf



**L** \$179 **LR** \$358 **R** \$179

### How to Order

XT	ABC	USLOR USLOL	E1 E2 N CMLK(std)	PL PR PRL N (std)	L R LR N (std)	WH SN BL (std)
Series	Dimensions	Product	Lock	Cutout for socket	Shelf	Metal
<b>Example XT</b>	153036	USLOR	E1	N	N	BL

### Prices

Dimensions	
A	B C
15 30 36	1360
15 36 36	1482
15 42 36	1602
15 30 42	1482
15 36 42	1724
15 30 54	1636
15 36 54	1878




# Accessories

## Handles

### HJA

Handle




- 6" metal handle;
- 5-1/32" (128mm) center to center.

Code	\$	Description
HJA	14	<i>Satin Nickel</i>
HJAB	14	<i>Black</i>

### H070

Handle




- 8-3/16" metal handle;
- 7-1/2" (190.5mm) center to center.

Code	\$	Description
H070BN	14	<i>Brushed Nickel</i>
H070CHR	14	<i>Chrome</i>

### H011

Handle




- 9-1/8" metal handle;
- 8-13/16" (224mm) center to center.

Code	\$	Description
H011	14	<i>Satin Nickel</i>

### H071

Handle




- 7-9/32" metal handle;
- 6-5/16" (160.338mm) center to center.

Code	\$	Description
H071CHR	14	<i>Chrome</i>
H071BN	14	<i>Brushed Nickel</i>
H071BL	14	<i>Black</i>
H071WH	14	<i>White</i>

### H051

Handle




- 3-5/32" metal handle;
- 2-17/32" (64mm) center to center.

Code	\$	Description
H051CHR	14	<i>Chrome</i>
H051SN	14	<i>Satin Nickel</i>
H051BL	14	<i>Black</i>
H051WH	14	<i>White</i>

### H072

Handle




- 6-3/8" metal handle;
- 5-1/32" (127.8mm) center to center.

Code	\$	Description
H072CHR	14	<i>Chrome</i>
H072BL	14	<i>Black</i>
H072WH	14	<i>White</i>

### H052

Handle




- 7-1/32" metal handle;
- 6-9/32" (160mm) center to center.

Code	\$	Description
H052CHR	14	<i>Chrome</i>
H052SN	14	<i>Satin Nickel</i>
H052BL	14	<i>Black</i>
H052WH	14	<i>White</i>

### SXP002

Handle




- 9-1/2" metal handle;
- 7-9/16" (192mm) center to center.

Code	\$	Description
SXP002	14	<i>Satin Nickel</i>

### H060

Handle




- 9-1/4" metal handle;
- 8-3/4" (222.25mm) center to center.

Code	\$	Description
H060BN	14	<i>Brushed Nickel</i>
H060CHR	14	<i>Chrome</i>

### SXP003

Handle



- 5-1/8" metal handle;
- 3-25/32" (96mm) center to center.


Code	\$	Description
SXP003	14	<i>Satin Nickel</i>

# Accessories

## Keyboard Trays

### KB360M

Keyboard Tray




- Black plastic 24-1/2" wide retractable ergonomic keyboard;
- Lift-N-Lock spring system (no lever) to adjust height;
- Handle for easy tilt adjustment from 10° to 15°;
- 10" x 7-1/2" mouse tray;
- 19" black gel wrist rest;
- 360° rotation.

Code	\$	Description
KB360M	615	

### KBMODR

Keyboard Tray




- 28" wide keyboard tray;
- 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides;
- Black gel wrist rest / depth-adjustable stop handles.

Code	\$	Description
KBMODR	315	

### KB

Keyboard Tray




- 24" wide keyboard tray only;
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4" to 2-3/4" / additional 2" for slides.

Code	\$	Description
KB	194	1" thick laminate
KBT	183	5/8" thick laminate

### AP

Wrist Rest




- Black gel wrist rest.

Code	\$	Description
AP	74	

### KBMOD

Keyboard Tray



- Keyboard tray, available in lengths from minimum 24" to maximum 30";
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.

Code	\$	Description
KBMOD	233	1" thick laminate
KBMODT	222	5/8" thick laminate


To order, for example a 27" long keyboard tray, 5/8" thick laminate: KBMODT27

# Accessories

## CPU Holders

### MCPU50

Miniature CPU Holder




- Height adjustable: 8" - 14";
- Width adjustable: 2" - 4";
- Maximum capacity: 10 kg (22 lbs);
- Need a minimum 5" deep clearance.

Code	\$	Description
MCPU50	171	

### MCPU90

CPU Holder




- Black metal CPU holder;
- Easy manipulation;
- Vertical adjustment:
  - Height: 15.5" x 20"
  - Width: 5.5" x 9.8"
- Horizontal adjustment:
  - Height: 17.5" x 22"
  - Width: 9.25" x 13.5"

Code	\$	Description
MCPU90	216	<i>per unit</i>

### CPUIND

CPU Holder



- 5/8" thick laminate CPU holder;
- 10" x 20" interior

Code	\$	Description
CPUIND	184	<i>per unit</i>




# Accessories

## Computer Monitor Brackets

### C-1A

Computer Monitor Bracket




- Computer monitor bracket with fixed arm support;
- Height-adjustable arm;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-1A	139	

### C-1B

Computer Monitor Bracket




- Computer monitor bracket with flexible arm support;
- Height-adjustable arm;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-1B	236	

### C-2A

Double Computer Monitor Bracket




- Double computer monitor bracket with fixed arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2A	235	

### C-2B

Double Computer Monitor Bracket




- Double computer monitor bracket with flexible arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2B	418	

### C-2A-1S

Triple Computer Monitor Bracket




- Triple computer monitor bracket with fixed arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2A-1S	405	

### C-2B-1S

Triple Computer Monitor Bracket



- Triple monitor bracket with 2 flexible arm supports;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.


Code	\$	Description
C-2B-1S	459	

# Accessories

## Computer Monitor Brackets

### BRSC1M4

Monitor Arm




- Monitor arm with height-adjustable arm, clamp-mounted;
- Finish: Satin nickel.

Code	\$	Description
BRSC1M4	717	

This is a Human Scale product.

### BRSC1M7

Monitor Arm




- Monitor arm with fixed-height arm, clamp-mounted;
- Finish: Satin nickel.

Code	\$	Description
BRSC1M7	506	

This is a Human Scale product.

### BRSC2M4

Double Monitor Arm




- Double monitor arm with height-adjustable arm, clamp-mounted;
- Finish: Satin nickel.

Code	\$	Description
BRSC2M4	1261	

This is a Human Scale product.

### BRSC2M7

Double Monitor Arm




- Double monitor arm with fixed-height arm, clamp-mounted;
- Finish: Satin nickel.

Code	\$	Description
BRSC2M7	783	

This is a Human Scale product.

### BRSG1M4

Computer Monitor Bracket




- Computer monitor bracket with height-adjustable arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG1M4	689	

This is a Human Scale product.

### BRSG1M7

Computer Monitor Bracket




- Computer monitor bracket with fixed-height arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG1M7	471	

This is a Human Scale product.

### BRSG2M4

Double Computer Monitor Bracket




- Double computer monitor bracket with height-adjustable arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG2M4	1252	

This is a Human Scale product.

### BRSG2M7

Double Computer Monitor Bracket



- Double computer monitor bracket with fixed height;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG2M7	748	


This is a Human Scale product.

# Accessories

## Miscellaneous Accessories

### LK

Lock/key




- Locks with keys
- Finish: Satin nickel or black finish;
- Additional locks, sold separately or factory installed;
- Please specify the type of furniture on which the will be installed.

Code	\$	Description
LKSN	44	Satin Nickel lock (factory installed)
LKBL	44	Black lock (factory installed)
LKSNF	29	Satin Nickel front lock
LKBLF	29	Black front lock
LKSNP	29	Satin Nickel door lock
LKBLP	29	Black door lock
KEY	24	Set of 2 keys - #501 - 600
SERR 010	24	1 master key



### TCPM

Sliding Drawer




- Black plastic sliding drawer with steel ball bearing slides.

Code	\$	Description
TCPM	194	

### SWV

Swivel Organizer Tray




- Storage drawer that rotate 360 degrees;
- Mounts flush to the edge;
- Dimensions: 7-1/2"D x 8-7/8"W x 1"H.

Code	\$	Description
SWV	63	

### SB

Suspension Bars



- Short suspension bars: 1 or 2 suspension bars for a left/right filing for a regular file drawer;
- Long suspension bars: 1 or 2 suspension bars for a front/back filing for a lateral file drawer.

Code	\$	Description
SBV1	7	1 short suspension bar
SBV2	14	2 short suspension bars
SBH1	7	1 long suspension bar
SBH2	14	2 long suspension bars

### IGS

Installation guide for surface supports




- Compatible with; CNT01/CNT02/CNT03/CNTC01/CNTC02;
- 1" laminate;
- White nylons levelers;
- Dimensions: 10"W x 28" H;
- It is recommended for every 10 workstations to have 1x IGS.

Code	\$	Description
IGS	127	

### IGWM

Installation guide for 1 1/2" wire management space for surfaces



- 1" laminate;
- Dimensions: 5-3/8" D x 12"L;
- It is recommended for every 10 workstations to have 2x IGWM.

Code	\$	Description
IGWM	50	



## Miscellaneous Accessories

### ME2

Master key for E2 lock



Master key for E2 lock:

- To unlock and reinitialise E2 electronic lock;

Code	S	Description
ME2	230	

### CHE1

Charger for E1 lock



- Charger for E1 lock;
- Emergency battery charger to unlock E1 lock.


Code	S	Description
CHE1	118	

# Accessories

## Electrical Accessories

### BE-KDHB-1

Single sided power block (1)




Set including:

- Single sided power block (1);
- 2 Duplex -1 circuit;
- 2 mounting plates;
- Max. 10 duplex per circuit (5 double half power block BE-KDHB-1).

Code	\$	Description
BE-KDHB-1-BL	203	
BE-KDHB-1-WH	213	

### BE-KDBSM-1

Double sided power block




Set including:

- Double sided power block;
- 4 duplex -1 circuit;
- 2 slide mounting brackets;
- Max. 10 duplex per circuit (2 double power block).

Code	\$	Description
BE-KDBSM-1-BL	390	
BE-KDBSM-1-WH	408	

### BE-KDHB-4

Single sided power block (2)




Set including:

- Single sided power block (2);
- 4 Duplex -1 of each circuit;
- 4 Mounting plates;
- Max. 40 duplex (20 double half power block).

Code	\$	Description
BE-KDHB-4-BL	416	
BE-KDHB-4-WH	426	

### BE-KDBSM-4

Double sided power block



Set including:

- Double sided power block;
- 4 duplex -1 of each circuit;
- 2 slide mounting brackets;
- Max. 40 duplex (10 double power block).


Code	\$	Description
BE-KDBSM-4-BL	390	
BE-KDBSM-4-WH	408	

# Accessories

## Electrical Accessories

### SMWM

Cable Support




- 3.5" metal wire support with 1 telecom plate cutout;
- Satin nickel finish.

Code	\$	Description
SMWM	29	

### BE-TELA

Telecom plate




- Blank plate;
- 3-1/8" x 1-3/4";
- Colors: Black, White and Satin nickel;
- To be used with the APB, APF or AP2 access panel option of the supply walls.

Code	\$	Description
BE-TELA-BL	6	
BE-TELA-WH	6	
BE-TELA-SN	6	

### BE-TELB

Telecom plate



- 2 spaces to install connection ports;
- 3-1/8" x 1-3/4";
- Adapter included.
- Colors: Black, White and Satin nickel.

Code	\$	Description
BE-TELB-BL	6	
BE-TELB-WH	6	
BE-TELB-SN	6	

### BE-HW

Hardwired conduit power entry



- \* To be connected to an electrical box by an electrician.
- 8 wires - 4 circuits 20A;
- For 8 trac system;
- Bare wires at one end
- Male end.

Code	\$	Description
BE-HW-72	182	8 wire, 4 circuit - 72"L
BE-HW-84	198	8 wire, 4 circuit - 84"L
BE-HW-96	221	8 wire, 4 circuit - 96"L
BE-HW-120	258	8 wire, 4 circuit - 120"L
BE-HW-180	378	8 wire, 4 circuit - 180"L



### BE-PI72

Corded Power entry



- Corded power entry of 72";
- Right angle 20 Amp plug;
- Male end;
- 1 circuit 20A;
- Must be plug on 20A outlet

Code	\$	Description
BE-PI72	226	



# Accessories

## Electrical Accessories

### BE-NYHW

NYC flex hardwired power infeed



- \* To be connected to an electrical box by an electrician.
- 8 wires - 4 circuits 20 A;
- Bare wires at one end;
- For 8 trac system;
- Male end.

Code	\$	Description
BE-NYHW-72	410	
BE-NYHW-84	431	
BE-NYHW-96	447	
BE-NYHW-108	469	
BE-NYHW-120	487	

### BE-J

M/M jumper



- Not-adjustable;
- 8 wire - 4 circuits;
- M/M;
- For 8 trac system;
- Minimum 12" - Maximum 216".

Code	\$	Description
BE-J12	116	8 wire cable / 4 circuit - 12"L
BE-J18	124	8 wire cable / 4 circuit - 18"L
BE-J24	131	8 wire cable / 4 circuit - 24"L
BE-J36	143	8 wire cable / 4 circuit - 36"L
BE-J42	152	8 wire cable / 4 circuit - 42"L
BE-J48	162	8 wire cable / 4 circuit - 48"L
BE-J54	169	8 wire cable / 4 circuit - 54"L
BE-J60	183	8 wire cable / 4 circuit - 60"L
BE-J66	190	8 wire cable / 4 circuit - 66"L
BE-J72	200	8 wire cable / 4 circuit - 72"L
BE-J78	211	8 wire cable / 4 circuit - 78"L
BE-J84	222	8 wire cable / 4 circuit - 84"L
BE-J96	239	8 wire cable / 4 circuit - 96"L
BE-J120	279	8 wire cable / 4 circuit - 120"L
BE-J216	519	8 wire cable / 4 circuit - 216"L

### BE-HC

Harness connector F/F




- Used to connect jumper cables;
- 1-1/2" x 2-1/4".

Code	\$	Description
BE-HC	54	

### BE-DHB

Single sided power block




- Maximum of 2 duplex per block;
- Includes mounting plates ;
- F/F ;
- For 8-trac system ;
- Duplex ordered separately.

Code	\$	Description
BE-DHB	106	

### BE-DBSM

Double sided power block



- Maximum of 4 duplex per block;
- For 8-trac system ;
- Slide mounting sold separately ;
- F/F ;
- Duplex ordered separately.


Code	\$	Description
BE-DBSM	152	

# Accessories

## Electrical Accessories

### BE-D20-C

Duplex




- 20 Amp;
- Height 1-1/18";
- For BE-DHB & BE-DBSM blocks ;
- Colors: Black or white ;
- Maximum of 10 Duplex per circuit.

Code	\$	Description
BE-D20-C-1-BL	48	Circuit 1 - 20A - Black
BE-D20-C-2-BL	48	Circuit 2 - 20A - Black
BE-D20-C-3-BL	48	Circuit 3 - 20A - Black
BE-D20-C-4-BL	48	Isolated Circuit 4 - 20A - Black
BE-D20-C-1-WH	54	Circuit 1 - 20A - White
BE-D20-C-2-WH	54	Circuit 2 - 20A - White
BE-D20-C-3-WH	54	Circuit 3 - 20A - White
BE-D20-C-4-WH	54	Isolated Circuit 4 - 20A - White



### BE-SM58-2

Slide mount bracket



- 2 brackets;
- Only for the double power block (BE DBSM);
- 5/8" height;
- Screws included.

Code	\$	Description
BE-SM58-2	42	



### WM

Velcro Tie




- Velcro tie for electrical cable;
- The non-metallic buckle is safe to use around electrical devices;
- Dimensions: ¾" x 10";
- Color: black.

Code	\$	Description
WM	13	Unit price
WMS	14	with #8, 9/16" Robertson screw, per unit

### SQE

Electric plug




- Electric plug;
- Cable - 120";
- Finish: Black, Dusk, Navy, Storm.

Code	\$	Description
SQE-120-C	135	Black
SQE-120-JM	135	Dusk
SQE-120-JL	135	Navy
SQE-120-JK	135	Storm

### SQU

USB port




- 2 USB ports (passive);
- USB M/F cable - 72";
- Finish: Black, Dusk, Navy, Storm.

Code	\$	Description
SQU-72-C	222	Black
SQU-72-JM	222	Dusk
SQU-72-JL	222	Navy
SQU-72-JK	222	Storm

### BR1

Branch unit




- 1 power outlet / 1 dual charger USB-a+;
- Table top with braided storm 120 IN power cord.

Code	\$	Description
BR1BL	522	Black
BR1WH	522	White

### BR2

Branch unit



- 3 power outlet / 1 dual charger USB-a;
- Table top with braided storm 120 IN power cord.

Code	\$	Description
BR2BL	671	Black
BR2WH	671	White




# Accessories

## Electrical Accessories

### BCSS1BL

Communication Box




- Communication box to be installed under surface;
- 2 empty telecommunication outlets (outlets not included);
- 15A/125V;
- 1 set of universal adapters.

Code	\$	Description
BCSS1BL	172	Available in black only

### BCSS2BL

Communication Box




- Communication box to be installed under surface;
- 1 electrical outlet and 1 empty telecommunication outlet (outlet not included);
- 72" power cable with electric plug;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
BCSS2BL	172	Available in black only

### BCSS3BL

Communication Box




- Communication box to be installed under surface;
- 2 electrical outlets;
- 72" power cable with electric plug;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
BCSS3BL	172	Available in black only

### POR 01

RJ45, CAT 6 connectivity port




- RJ45, CAT6 connector;
- RJ45 M/F cable - 72" ;
- Finish: Black.

Code	\$	Description
POR 01	144	

### POR 02

RJ11 connectivity port




- RJ11 connector, 4 pin
- RJ11 M/F cable - 84";
- Finish: Black.

Code	\$	Description
POR 02	42	

### POR 03

USB connectivity port




- 1 USB (data/passive);
- USB M/F cable - 72";
- Finish: Black.

Code	\$	Description
POR 03	89	

### POR 04

HDMI connectivity port




- HDMI connector;
- HDMI F/F cable - 18";
- Finish: Black.

Code	\$	Description
POR 04	131	

### POR 05

Mini Stereo Jack




- 3.5 mm Mini Stereo Jack, M/F;
- Audio M/F cable -120";
- Finish: Black.

Code	\$	Description
POR 05	47	

### POR 06

VGA Connector



- VGA connector, 15 pin;
- VGA M/F cable -120";
- Finish: Black.


Code	\$	Description
POR 06	167	

# Accessories

## Electrical Accessories

### F-714

Power bar




- Power bar with 6 AC 15 Amp electric outlets;
- 120", 14-3 power cable with electric plug.



Code	\$	Description
F-714	118	

### PBL

Power bar




- Power bar with 6 electric outlets;
- 120" power cable with electric plug.



Code	\$	Description
PBL	65	

### CT

Metal cable tray



Metal cable tray

- In stainless steel;
- Dimensions: 2x4; Interior dimensions: 1-7/8"D x 1-7/8"H
- Length of 24" and 118" (118" can be cut on site).
- With mounting hardware

Code	\$	Description
CT24	64	
CT118	110	

### DSG

Double-sided grommet




Double-sided grommet

- Hole diameter: 2.5"
- Use for electrical cable management with division panels. Drilling to be done by the installer.
- Grommet to cut on site for desired thickness to cover;
- *Can not be cut with a simple utility knife, use a sharper and safer tool.*

Code	\$	Description
DSG BL	29	Black
DSG WH	29	White

### WMP

Wire Management Pole



- Blank steel pole to bring cables from the ceiling to a work station;
- Satin nickel finish with a grey boot base;
- 2 compartments: 1 power/1 communications
- Mounting hardware, entrance end plate and ceiling trim plate included;
- Wires and outlets not included;
- Height: 12' 5".

Code	\$	Description
WMP	455	

As our product line is constantly evolving and expanding, we recommend that you visit [logiflex.ca](http://logiflex.ca) for updates.

l o g i f l e x

1235 St-Roch N., Sherbrooke QC J1N 0H2 Canada  
T : 1.877.864.9323 | F : 1.800.474.7830 | [logiflex.ca](http://logiflex.ca)