HOSTA PATIENT ARMCHAIR - LFH RES

CONSTRUCTION

- The metal-to-metal cam lock and wood dowel construction makes it easy to replace components.
- The wooden frame is assembled with mortise and tenon joints for optimal strength. The molded back and spring seat are made with multi-density foam for comfort and ergonomic support.
- The structural seat frame is made of welded steel for increased strength and durability. It can be assembled at three different heights and two different depths.
- The legs are equipped with non-marking glides.

ERGONOMICS AND MAINTENANCE

- Clearance space between the back and the cushion facilitates cleaning.
- Logilife chairs are specially designed to prevent premature wear and damage by avoiding contact between the back or armrests and surrounding walls.
- Extended and rounded wooden armrests give the user optimal support to safely and easily sit down and get up.
- A vinyl moisture barrier with aerators covers and protects the underside of the seat.

FINISHES

- Customers can choose an upholstery from the supplier of their choice.
- Five wood stains are available. All Logiflex colors may also be used for wood stain.

DIMENSIONS

Overall dim.: 25"w x 25"d x 45½"h Seat dim.: 20½"L x 17"P x 18"H

Armrest height: 26"

COM YARDAGE REQUIRED

Seat and back yardage: 2 Seat yardage: 1 Back yardage: 1.5

OPTIONS

- Flammability technical bulletin CAL133.
- Black polyurethane arm caps for the armrests.
- Removable slipcover for the head area, to reduce excessive wear and facilitate cleaning.
- Models presented are suggestions: they can be customized to meet individual needs.

- Limited lifetime warranty.
- The Celcor foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Products are manufactured in North America and comply with ISO9001.



HOSTA PATIENT ARMCHAIR WITH RECLINING BACK - LFH RESR

CONSTRUCTION

- The metal-to-metal cam lock and wood dowel construction makes it easy to replace components.
- The wooden frame is assembled with mortise and tenon joints for optimal strength. The molded back and spring seat are made with multi-density foam for comfort and ergonomic support.
- The structural seat frame is made of welded steel for increased strength and durability. It can be assembled at three different heights and two different depths.
- The mechanical reclining back has 4 levels of adjustment that can be changed by a simple pressure
 on the lever.
- The legs are equipped with non-marking glides.

ERGONOMICS AND MAINTENANCE

- Reclining back with 4 levels of adjustment, for a difference of ± 23°.
- Clearance space between the back and the cushion facilitates cleaning.
- Logilife chairs are specially designed to prevent premature wear and damage by avoiding contact between the back or armrests and surrounding walls.
- Extended and rounded wooden armrests give the user optimal support to safely and easily sit down and get up.
- A vinyl moisture barrier with aerators covers and protects the underside of the seat.

FINISHES

- Customers can choose an upholstery from the supplier of their choice.
- Five wood stains are available. All Logiflex colors may also be used for wood stain.

DIMENSIONS

Overall dim.: 25"w x 25"d x 45½"h Seat dim.: 20½"L x 17"P x 18"H

Armrest height: 26"

COM YARDAGE REQUIRED

Seat and back yardage: 2 Seat yardage: 1 Back yardage: 1.5

OPTIONS

- Flammability technical bulletin CAL133.
- Black polyurethane arm caps for the armrests.
- Removable slipcover for the head area, to reduce excessive wear and facilitate cleaning.
- Models presented are suggestions: they can be customized to meet individual needs.

- Limited lifetime warranty.
- The Celcor foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Products are manufactured in North America and comply with ISO9001.



HOSTA GUEST ARMCHAIR - LFH VIS1

CONSTRUCTION

- The metal-to-metal cam lock and wood dowel construction makes it easy to replace components.
- The wooden frame is assembled with mortise and tenon joints for optimal strength. The molded back and spring seat are made with multi-density foam for comfort and ergonomic support.
- The structural seat frame is made of welded steel for increased strength and durability. It can be assembled at three different heights and two different depths.
- The legs are equipped with non-marking glides.

ERGONOMICS AND MAINTENANCE

- Clearance space between the back and the cushion facilitates cleaning.
- Logilife chairs are specially designed to prevent premature wear and damage by avoiding contact between the back or armrests and surrounding walls.
- Extended and rounded wooden armrests give the user optimal support to safely and easily sit down and get up.
- A vinyl moisture barrier with aerators covers and protects the underside of the seat.

FINISHES

- Customers can choose an upholstery from the supplier of their choice.
- Five wood stains are available. All Logiflex colors may also be used for wood stain.

DIMENSIONS

Overall dim.: 25"w x 25"d x 36½"h Seat dim.: 20½"L x 17"P x 18"H

Armrest height: 26"

COM YARDAGE REQUIRED

Seat and back yardage: 2 Seat yardage: 1 Back yardage: 1

OPTIONS

- Flammability technical bulletin CAL133.
- Black polyurethane arm caps for the armrests.
- Models presented are suggestions: they can be customized to meet individual needs.

- Limited lifetime warranty.
- The Celcor foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Products are manufactured in North America and comply with ISO9001.



HOSTA BARATRIC ARMCHAIR - LFH BAR

CONSTRUCTION

- The metal-to-metal cam lock and wood dowel construction makes it easy to replace components.
- The wooden frame is assembled with mortise and tenon joints for optimal strength. The molded back and spring seat are made with multi-density foam for comfort and ergonomic support.
- The structural seat frame is made of welded steel for increased strength and durability. It can be assembled at three different heights and two different depths.
- The legs are equipped with non-marking glides.

ERGONOMICS AND MAINTENANCE

- Weight capacity: 750lbs.
- Clearance space between the back and the cushion facilitates cleaning.
- Logilife chairs are specially designed to prevent premature wear and damage by avoiding contact between the back or armrests and surrounding walls.
- Extended and rounded wooden armrests give the user optimal support to safely and easily sit
 down and get up.
- A vinyl moisture barrier with aerators covers and protects the underside of the seat.

FINISHES

- Customers can choose an upholstery from the supplier of their choice.
- Five wood stains are available. All Logiflex colors may also be used for wood stain.

DIMENSIONS

Overall dim.: 34"w x 25"d x 36½"h Seat dim.: 29½"L x 17"P x 18"H

Armrest height: 26"

COM YARDAGE REQUIRED

Seat and back yardage: 3 Seat yardage: 1.5 Back yardage: 2

OPTIONS

- Flammability technical bulletin CAL133.
- Black polyurethane arm caps for the armrests.
- Models presented are suggestions: they can be customized to meet individual needs.

- Limited lifetime warranty.
- The Celcor foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Products are manufactured in North America and comply with ISO9001.



HOSTA 2-SEATER WITH CENTER ARMREST - LFH VIS2A

CONSTRUCTION

- The metal-to-metal cam lock and wood dowel construction makes it easy to replace components.
- The wooden frame is assembled with mortise and tenon joints for optimal strength. The 2 molded backs and the 2 spring seats are made with multi-density foam for comfort and ergonomic support.
- The structural seat frames are made of welded steel for increased strength and durability. They can be assembled at three different heights and two different depths.
- The legs are equipped with non-marking glides.

ERGONOMICS AND MAINTENANCE

- Clearance space between the backs and the cushions facilitates cleaning.
- Logilife chairs are specially designed to prevent premature wear and damage by avoiding contact between the back or armrests and surrounding walls.
- Extended and rounded wooden armrests give the user optimal support to safely and easily sit down and get up.
- A vinyl moisture barrier with aerators covers and protects the underside of the seats.

FINISHES

- Customers can choose an upholstery from the supplier of their choice.
- Five wood stains are available. All Logiflex colors may also be used for wood stain.

DIMENSIONS

Overall dim.: $48"w \times 25"d \times 36\%"h$ Seat dim.: $20\%"L \times 17"P \times 18"H$

Armrest height: 26"

COM YARDAGE REQUIRED

Seat and back yardage: 4 Seat yardage: 2 Back yardage: 2

OPTIONS

- Flammability technical bulletin CAL133.
- Black polyurethane arm caps for the armrests.
- Models presented are suggestions: they can be customized to meet individual needs.

- Limited lifetime warranty.
- The Celcor foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Products are manufactured in North America and comply with ISO9001.



HOSTA 3-SEATER WITH CENTER ARMRESTS - LFH VIS3A

CONSTRUCTION

- The metal-to-metal cam lock and wood dowel construction makes it easy to replace components.
- The wooden frame is assembled with mortise and tenon joints for optimal strength. The 3 molded backs and the 3 spring seats are made with multi-density foam for comfort and ergonomic support.
- The structural seat frames are made of welded steel for increased strength and durability. They can be assembled at three different heights and two different depths.
- The legs are equipped with non-marking glides.

ERGONOMICS AND MAINTENANCE

- Clearance space between the backs and the cushions facilitates cleaning.
- Logilife chairs are specially designed to prevent premature wear and damage by avoiding contact between the back or armrests and surrounding walls.
- Extended and rounded wooden armrests give the user optimal support to safely and easily sit down and get up.
- A vinyl moisture barrier with aerators covers and protects the underside of the seats.

FINISHES

- Customers can choose an upholstery from the supplier of their choice.
- Five wood stains are available. All Logiflex colors may also be used for wood stain.

DIMENSIONS

Overall dim.: 70%" w x 25" d x 36%" h Seat dim.: 20%" L x 17" P x 18" H

Armrest height: 26"

COM YARDAGE REQUIRED

Seat and back yardage: 6 Seat yardage: 3 Back yardage: 3

OPTIONS

- Flammability technical bulletin CAL133.
- Black polyurethane arm caps for the armrests.
- Models presented are suggestions: they can be customized to meet individual needs.

- Limited lifetime warranty.
- The Celcor foam used meets or exceeds the California Technical Bulletin 117 requirements.
- Products are manufactured in North America and comply with ISO9001.

